

CONCRETE CLEANER & ETCHER

Safety Data Sheet



SECTION 1: Product and company identification

Product name : CONCRETE CLEANER & ETCHER
Use of the substance/mixture : Acid
Product code : 014003
Company : Share Corporation
P.O. Box 245013
Milwaukee, WI 53224 - USA
T (414) 355-4000
sharecorp.com
Emergency number : For 24/7 Chemical Emergency Call Chemtrec: 1-800-424-9300 (toll-free) and provide CCN 20036

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification
Met. Corr. 1 H290
Skin Corr. 1B H314
STOT SE 3 H335

2.2. Label elements

GHS US labelling
Hazard pictograms (GHS US) :



Signal word (GHS US) : GHS05 Danger
Hazard statements (GHS US) : GHS07
May be corrosive to metals
Causes severe skin burns and eye damage
May cause respiratory irritation
Precautionary statements (GHS US) : Keep only in original packaging.
Do not breathe mist, spray.
Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves, protective clothing, eye protection.
If swallowed: rinse mouth. Do NOT induce vomiting.
Immediately call a doctor, a POISON CENTER.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call a doctor, a POISON CENTER if you feel unwell.
Take off immediately all contaminated clothing and wash it before reuse.
Absorb spillage to prevent material damage.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents and container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
------	--------------------	---	-----------------------

CONCRETE CLEANER & ETCHER

Safety Data Sheet



Hydrochloric Acid	(CAS-No.) 7647-01-0	10 - 30*	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314 STOT SE 3, H335
C9-11 Alcohols Ethoxylated (Surfactant)	(CAS-No.) 68439-46-3	1 - 5*	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Immediately call a POISON CENTER/doctor.
- First-aid measures after ingestion : Fatal if swallowed. Immediately call a POISON CENTER/doctor. Rinse mouth. Do NOT induce vomiting. Drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Causes severe skin burns and eye damage. May cause respiratory irritation.
- Symptoms/effects after inhalation : May cause respiratory irritation.
- Symptoms/effects after skin contact : Caustic burns/corrosion of the skin.
- Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
- Symptoms/effects after ingestion : Burns to the gastric/intestinal mucosa.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

- Reactivity : Thermal decomposition generates : Carbon monoxide. Carbon dioxide. HCl. Chlorine.

5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water moderately and if possible collect or contain it. Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

- Protective equipment : Gloves. Protective goggles. Face shield. Protective clothing.
- Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

CONCRETE CLEANER & ETCHER

Safety Data Sheet



6.3. Methods and material for containment and cleaning up

- For containment : Contain released product, collect/pump into suitable containers.
- Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Do not spray to create mists. Do not heat to create vapors.
- Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Keep container closed when not in use. Store in original container.
- Incompatible products : metals and metal salts. alkalines.
- Incompatible materials : chlorine-based bleaching agents. ammonia.
- Storage area : Keep only in the original container. Store in a dry area. Store in a cool area.
- Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CONCRETE CLEANER & ETCHER

ACGIH	Not applicable
OSHA	Not applicable

Hydrochloric Acid (7647-01-0)

ACGIH	ACGIH® TLV® C	2 ppm (Hydrogen chloride; USA; Momentary value; TLV - Adopted Value)
OSHA	Not applicable	

C9-11 Alcohols Ethoxylated (68439-46-3)

ACGIH	Not applicable
OSHA	Not applicable
Not applicable	

8.2. Exposure controls

- Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
- Personal protective equipment : Gloves. Safety glasses. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : clear, Green, Liquid
- Odour : Acidic.
- Odour threshold : No data available
- pH : 1
- Melting point : No data available
- Freezing point : No data available

CONCRETE CLEANER & ETCHER

Safety Data Sheet



Boiling point	: No data available
Flash point	: > 200 °F Closed cup
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20°C	: No data available
Density	: 1.1 g/ml
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: < 0.5 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Carbon monoxide. Carbon dioxide. HCl. Chlorine.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

May be corrosive to metals. metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Hydrochloric Acid (7647-01-0)

LD50 oral rat	700 mg/kg
LC50 Inhalation - Rat	1.68 mg/l
ATE CLP (oral)	700 mg/kg bodyweight
ATE CLP (vapours)	1.68 mg/l/4h
ATE CLP (dust,mist)	1.68 mg/l/4h

C9-11 Alcohols Ethoxylated (68439-46-3)

LD50 oral rat	> 1000 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ATE CLP (oral)	500 mg/kg bodyweight

Skin corrosion/irritation : Causes severe skin burns.
pH: 1

CONCRETE CLEANER & ETCHER

Safety Data Sheet



Serious eye damage/irritation	: Assumed to cause serious eye damage pH: 1
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

Hydrochloric Acid (7647-01-0)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause respiratory irritation.

STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
------------------------	---

C9-11 Alcohols Ethoxylated (68439-46-3)

NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
----------------------------	---

Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/effects after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/effects after ingestion	: Burns to the gastric/intestinal mucosa.
Likely routes of exposure	: Skin and eyes contact

SECTION 12: Ecological information

12.1. Toxicity

C9-11 Alcohols Ethoxylated (68439-46-3)	
LC50 - Fish [1]	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	2.5 mg/l Test organisms (species): Daphnia magna

12.2. Persistence and degradability

Hydrochloric Acid (7647-01-0)	
Persistence and degradability	No (test)data on mobility of the components available.

C9-11 Alcohols Ethoxylated (68439-46-3)	
Persistence and degradability	Biodegradability in water: no data available.

12.3. Bioaccumulative potential

Hydrochloric Acid (7647-01-0)	
Bioaccumulative potential	No test data of component(s) available.

C9-11 Alcohols Ethoxylated (68439-46-3)	
Bioaccumulative potential	No bioaccumulation data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
--	---

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description (DOT)	: UN1789 Hydrochloric acid (solution), 8, II
UN-No. (DOT)	: UN1789
Proper Shipping Name (DOT)	: Hydrochloric acid
Class (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136

CONCRETE CLEANER & ETCHER

Safety Data Sheet



Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : II - Medium Danger
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Special Provisions (49 CFR 172.102) : A3,A6,B3,B15,IB2,N41,T8,TP2,TP12
DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 1 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 30 L
DOT Vessel Stowage Location : C

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Hydrochloric Acid (7647-01-0)

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ : 5000 lb

RQ (Reportable quantity, section 304 of EPA's List of Lists) : 5000 lb

SARA Section 302 Threshold Planning Quantity (TPQ) : 500 lb

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm


SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

NFPA health hazard : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied

CONCRETE CLEANER & ETCHER

Safety Data Sheet



regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.