

# Plastic Tile & Shower Cleaner

## Safety Data Sheet



### SECTION 1: Product and company identification

Product name : Plastic Tile & Shower Cleaner  
Use of the substance/mixture : Cleaner  
Product code : 014401  
Company : Share Corporation  
P.O. Box 245013  
Milwaukee, WI 53224 - USA  
T (414) 355-4000  
Emergency number : Chemtrec: (800) 424-9300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Skin Corr. 1C H314  
Eye Dam. 1 H318

Full text of H statements : see section 16

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) : Danger  
Hazard statements (GHS-US) : Causes severe skin burns and eye damage  
Precautionary statements (GHS-US) : Do not breathe mist, spray  
Wash thoroughly after handling  
Wear eye protection, protective clothing, protective gloves  
If swallowed: rinse mouth. Do NOT induce vomiting  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
If inhaled: Remove person to fresh air and keep comfortable for breathing  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER, a doctor  
Specific treatment (see First aid measures on this label)  
Wash contaminated clothing before reuse  
Store locked up  
Dispose of contents/container to comply with local/regional/national/international regulations

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
glycolic acid	(CAS No) 79-14-1	1-5	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
sulfamic acid	(CAS No) 5329-14-6	1-5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
SODIUM LAURIMINODIPROPIONATE	(CAS No) 14960-06-6	0.5-2	Skin Irrit. 2, H315 Eye Dam. 1, H318

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

# Plastic Tile & Shower Cleaner

## Safety Data Sheet



- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
- First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes severe skin burns and eye damage.
- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin.
- Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
- Symptoms/injuries after ingestion : Harmful if swallowed. Gastrointestinal complaints. Burns to the gastric/intestinal mucosa. Cramps.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing media allowed.

### 5.2. Special hazards arising from the substance or mixture

- Reactivity : Upon combustion: CO and CO<sub>2</sub> are formed.

### 5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Isolate from fire, if possible, without unnecessary risk.

#### 6.1.1. For non-emergency personnel

- Protective equipment : Protective goggles. Gloves. Protective clothing.
- Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

#### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released substance, pump into suitable containers.
- Methods for cleaning up : Absorb spillage to prevent material damage. This material and its container must be disposed of in a safe way, and as per local legislation.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care.
- Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Keep container closed when not in use.
- Incompatible products : Strong alkalis.
- Storage area : Keep only in the original container. Store in a dry area. Store in a cool area. Keep locked up.
- Special rules on packaging : meet the legal requirements. Keep only in original container.

## SECTION 8: Exposure controls/personal protection

# Plastic Tile & Shower Cleaner

## Safety Data Sheet



### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Safety glasses. Gloves. Protective clothing.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Slightly hazy, blue liquid.
Odor	: soap
Odor threshold	: No data available
pH	: 1
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F Closed Cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.02 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: < 1 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Upon combustion: CO and CO<sub>2</sub> are formed.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

# Plastic Tile & Shower Cleaner

## Safety Data Sheet



<b>glycolic acid (79-14-1)</b>	
LD50 oral rat	1950 mg/kg (Rat; Other; Literature study; 2040 mg/kg bodyweight; Rat; Experimental value)
LC50 inhalation rat (mg/l)	> 5.2 mg/l/4h (Rat; Experimental value; 3.6 mg/l/4h; Rat; Experimental value)

<b>sulfamic acid (5329-14-6)</b>	
LD50 oral rat	3160 mg/kg (Rat; Literature study)
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 1
Serious eye damage/irritation	: Causes serious eye damage. pH: 1
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/injuries after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/injuries after ingestion	: Harmful if swallowed. Gastrointestinal complaints. Burns to the gastric/intestinal mucosa. Cramps.
Likely routes of exposure	: Skin and eyes contact

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>glycolic acid (79-14-1)</b>	
EC50 Daphnia 1	141 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
LC50 fish 2	> 5000 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio)
Threshold limit algae 1	44 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Selenastrum capricornutum; Static system; Fresh water; Experimental value)

<b>sulfamic acid (5329-14-6)</b>	
EC50 Daphnia 1	1.6 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Semi-static system; Fresh water; Experimental value)
LC50 fish 2	70.3 mg/l (LC50; Equivalent or similar to OECD 203; 96 h; Pimephales promelas; Static system; Fresh water; Experimental value)
Threshold limit algae 1	48 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodemus subspicatus; Static system; Fresh water; Experimental value)

### 12.2. Persistence and degradability

<b>glycolic acid (79-14-1)</b>	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.
Biochemical oxygen demand (BOD)	0.18 g O <sub>2</sub> /g substance
ThOD	0.63 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.28

<b>sulfamic acid (5329-14-6)</b>	
Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable. No (test) data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

### 12.3. Bioaccumulative potential

<b>glycolic acid (79-14-1)</b>	
Log Pow	-1.11 (Experimental value)

# Plastic Tile & Shower Cleaner

## Safety Data Sheet



glycolic acid (79-14-1)	
Bioaccumulative potential	Bioaccumulation: not applicable.
sulfamic acid (5329-14-6)	
Log Pow	0.10 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

Transport document description : UN2967 Sulfamic acid (Solution), 8, III  
UN-No.(DOT) : UN2967  
Proper Shipping Name (DOT) : Sulfamic acid  
Solution  
Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136  
Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : III - Minor Danger  
DOT Packaging Non Bulk (49 CFR 173.xxx) : 213  
DOT Packaging Bulk (49 CFR 173.xxx) : 240  
DOT Special Provisions (49 CFR 172.102) : IB8,IP3,T1,TP33  
DOT Packaging Exceptions (49 CFR 173.xxx) : 154  
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 25 kg  
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 100 kg  
DOT Vessel Stowage Location : A

#### Additional information

Other information : This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.154.

#### ADR

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2-propanol	CAS No 67-63-0	0.5-1.5%
2-propanol (67-63-0)		
Listed on SARA Section 313 (Specific toxic chemical listings)		

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity.

### SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

# Plastic Tile & Shower Cleaner

## Safety Data Sheet




Full text of H-phrases:

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.*