

PELLET DEICER

Calcium Chloride Ice & Snow Melt

Form: Pellets

Color: White to Off-White

Odor: None

pH: N/A

Solubility (in water): Soluble
(in mineral spirits): Insoluble

VOC Content (% by weight): 0%

Flash Point (ASTM D-7821): N/A

Specific Gravity: 2.2 g/cm³

Density: 18.36 lbs/gal

Loose Bulk Density: 50 - 65 lbs/ft³

Storage Stability (at 70°F): 1 year

<u>Ingredients</u>	<u>C.A.S. #</u>
Calcium Chloride	10043-52-4
Water	7732-18-5
Potassium Chloride	7447-40-7
Sodium Chloride	7647-14-5

Use Pellet Deicer on...
• Sidewalks
• Driveways
• Steps
• Streets
• Loading Docks
• Porches
• Ramps
• Drain Pipes

DIRECTIONS: Sprinkle PELLET DEICER evenly over ice or packed snow, allow it to act for several minutes, then remove melted slush. PELLET DEICER is not corrosive and is safe to use on concrete, brick, cement, flagstone and asphalt. However, spalling or flaking of these surfaces may occur due to natural deterioration from freeze/thaw cycles. While such instances are rare, they involve factors over which the manufacturer has no control, and the use of PELLET DEICER must be at the user's risk.

NOTE: PELLET DEICER should not be used on concrete less than one year old and should not be used on concrete with exposed aggregate, pre-cast steps.

HMIS			NFPA		
Health	1	Severe 4	Extreme	Health.....	1
Flammability.....	0	Serious 3	High	Flammability.....	0
Reactivity.....	0	Moderate 2	Moderate	Reactivity.....	0
Personal Protection.....	X	Slight 1	Slight	Special Precautions.....	None
		Minimal 0	Insignificant		