

Away II

Safety Data Sheet



SECTION 1: Product and company identification

Product name : Away II
 Use of the substance/mixture : Deodorant
 Product code : 112901
 Company : Share Corporation
 P.O. Box 245013
 Milwaukee, WI 53224 - USA
 T (414) 355-4000
 Emergency number : Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Eye Irrit. 2A H319
 Skin Sens. 1 H317
 Full text of H statements : see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) : Warning
 Hazard statements (GHS-US) : May cause an allergic skin reaction
 Causes serious eye irritation
 Precautionary statements (GHS-US) : Avoid breathing mist, spray
 Wash thoroughly after handling
 Contaminated work clothing must not be allowed out of the workplace
 Wear eye protection, protective clothing, protective gloves
 If on skin: Wash with plenty of soap and water
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Specific treatment (see First aid measures on this label)
 If skin irritation or rash occurs: Get medical advice/attention
 If eye irritation persists: Get medical advice/attention
 Wash contaminated clothing before reuse
 Dispose of contents/container to comply with local/regional/national/international regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

| Name | Product identifier | % | GHS-US classification |
|------------------------------|--------------------|-------|---|
| Glycol Ether EB | (CAS No) 111-76-2 | 1 - 5 | Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304 |
| ethanol | (CAS No) 64-17-5 | 1 - 5 | Flam. Liq. 2, H225 STOT SE 3, H336 |
| citronnelle java 100 essence | (CAS No) 8000-29-1 | 1 - 5 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335 Asp. Tox. 1, H304 |

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.



SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
- First-aid measures after skin contact : Wash with plenty of soap and water.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth with water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Symptoms/injuries after skin contact : May cause an allergic skin reaction.
- Symptoms/injuries after eye contact : Causes serious eye irritation.
- Symptoms/injuries after ingestion : Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

- Reactivity : Thermal decomposition may produce : carbon oxides (CO and CO₂).

5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

- Protective equipment : Protective goggles. Gloves. Protective clothing.
- Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.
- Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Contain released substance, pump into suitable containers.
- Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep container tightly closed.
- Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Keep container closed when not in use.
- Storage area : Meet the legal requirements. Store in a cool area.
- Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

Away II

Safety Data Sheet




8.1. Control parameters

| Glycol Ether EB (111-76-2) | | |
|----------------------------|-------------------------------------|------------------------|
| ACGIH | ACGIH TWA (ppm) | 20 ppm |
| ACGIH | Remark (ACGIH) | Eye & URT irr |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 240 mg/m ³ |
| OSHA | OSHA PEL (TWA) (ppm) | 50 ppm |
| ethanol (64-17-5) | | |
| ACGIH | ACGIH STEL (ppm) | 1000 ppm |
| ACGIH | Remark (ACGIH) | URT irr |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 1900 mg/m ³ |
| OSHA | OSHA PEL (TWA) (ppm) | 1000 ppm |

8.2. Exposure controls

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Protective clothing. Safety glasses.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|------------------------|
| Physical state | : Liquid |
| Appearance | : Opaque, orange, gel. |
| Odor | : Citronella |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : > 220 °F Closed Cup |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Specific gravity / density | : 0.99 g/ml |
| Solubility | : Soluble in water. |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| VOC content | : < 6 % |

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition may produce : carbon oxides (CO and CO₂).

Away II

Safety Data Sheet



10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| citronnelle java 100 essence (8000-29-1) | |
|---|----------------------------|
| LD50 oral rat | 7200 mg/kg (Rat) |
| LD50 dermal rabbit | 4700 mg/kg (Rabbit) |
| ATE CLP (oral) | 7200.000 mg/kg body weight |
| ATE CLP (dermal) | 4700.000 mg/kg body weight |

| Glycol Ether EB (111-76-2) | |
|-----------------------------------|----------------------------|
| LD50 oral rat | 1300 mg/kg |
| LD50 dermal rat | > 2000 mg/kg |
| ATE CLP (oral) | 1300.000 mg/kg body weight |
| ATE CLP (dermal) | 1100.000 mg/kg body weight |
| ATE CLP (dust, mist) | 1.500 mg/l/4h |

| ethanol (64-17-5) | |
|--------------------------|--|
| LD50 oral rat | 10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value) |
| LD50 dermal rabbit | > 16000 mg/kg (Rabbit; Literature study) |
| ATE CLP (oral) | 10740.000 mg/kg body weight |

Skin corrosion/irritation : Not classified
 Serious eye damage/irritation : Causes serious eye irritation.
 Respiratory or skin sensitization : May cause an allergic skin reaction.
 Germ cell mutagenicity : Not classified
 Carcinogenicity : Not classified

| Glycol Ether EB (111-76-2) | |
|-----------------------------------|----------------------|
| IARC group | 3 - Not Classifiable |

Reproductive toxicity : Not classified
 Specific target organ toxicity (single exposure) : Not classified
 Specific target organ toxicity (repeated exposure) : Not classified

| Glycol Ether EB (111-76-2) | |
|-----------------------------------|--------------|
| NOAEL (oral,rat,90 days) | see comments |
| NOAEL (dermal,rat/rabbit,90 days) | see comments |

Aspiration hazard : Not classified
 Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 Symptoms/injuries after skin contact : May cause an allergic skin reaction.
 Symptoms/injuries after eye contact : Causes serious eye irritation.
 Symptoms/injuries after ingestion : Gastrointestinal complaints.
 Likely routes of exposure : Skin and eyes contact;Inhalation

SECTION 12: Ecological information

12.1. Toxicity

| Glycol Ether EB (111-76-2) | |
|-----------------------------------|---|
| LC50 fish 1 | 1474 mg/l Oncorhynchus mykiss |
| EC50 Daphnia 1 | 100 mg/l Water flea |
| ErC50 (algae) | 1840 mg/l Pseudokirchneriella subcapitata |

Away II

Safety Data Sheet



| | |
|----------------------------|--|
| Glycol Ether EB (111-76-2) | |
| NOEC chronic fish | > 100 mg/l |
| NOEC chronic crustacea | 100 mg/l daphnid |
| ethanol (64-17-5) | |
| LC50 fish 1 | 14200 mg/l (LC50; US EPA; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value) |

12.2. Persistence and degradability

| | |
|--|---|
| citronnelle java 100 essence (8000-29-1) | |
| Persistence and degradability | Biodegradability in water: no data available. |
| ethanol (64-17-5) | |
| Persistence and degradability | Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil. |
| Biochemical oxygen demand (BOD) | 0.8 - 0.967 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 1.70 g O ₂ /g substance |
| ThOD | 2.10 g O ₂ /g substance |
| BOD (% of ThOD) | 0.43 |

12.3. Bioaccumulative potential

| | |
|--|--|
| citronnelle java 100 essence (8000-29-1) | |
| Bioaccumulative potential | No bioaccumulation data available. |
| ethanol (64-17-5) | |
| BCF fish 1 | 1 (BCF; Other; 72 h; Cyprinus carpio; Static system; Fresh water; Read-across) |
| Log Pow | -0.31 (Experimental value) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT : Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

| | | |
|----------------------------|-----------------|-----|
| Glycol Ether EB (111-76-2) | | |
| 2-butoxyethanol | CAS No 111-76-2 | 1-5 |

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

| | |
|------|-----------------------------------|
| H225 | Highly flammable liquid and vapor |
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |


Away II

Safety Data Sheet



| | |
|------|--|
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H336 | May cause drowsiness or dizziness |

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard : 1 - Must be preheated before ignition can occur.
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.