

# ANTI-CLOG AT/C DISC

For Cooling Equipment Between 5 & 15 Tons

**Form:** Solid Block

**Color:** Light Brown

**Odor:** Soap

**pH:** N/D

**Solubility (in water):** Moderately soluble  
**(in mineral spirits):** No data available

**VOC Content (% by wt.):** No data available

**Flash Point (Closed Cup):** No data available

**Specific Gravity:** 0.97-0.99 g/ml

**Density:** 8.10-8.26 lbs/gal

**Storage Stability (at 70°F):** 1 year

<u>Ingredients</u>	<u>C.A.S. #</u>
Alkyl Dimethyl Benzyl Ammonium Chloride .....	.....68391-01-5
Alkyl Ethylbenzyl Ammonium Chloride .....	.....68956-79-6
Ethanol .....	.....64-17-5

Use In...
• <b>Fan Coil Air Conditioner</b>
• <b>Ceiling Air Conditioning Units</b>
• <b>Roof Mounted Units</b>
• <b>Refrigerated Vending Machines</b>
• <b>Beverage Coolers</b>
• <b>Grocery Reach-In Coolers</b>
• <b>Cold Storage Walk-Ins</b>

**DIRECTIONS:** The ANTI-CLOG AT/C DISC is simple to install. Place the unit under the cooling coil in the middle of the pan length. Unit must be in contact with the condensate in the pan.

**NOTE:** For cooling units larger than 15 tons use multiple discs. Discs last 3 months based on an average 8-hour air-conditioning day.

HMIS®				NFPA®	
		Severe	4	Extreme	
Health .....	2	Serious	3	High	Health .....
Flammability.....	0	Moderate	2	Moderate	Flammability.....
Reactivity.....	0	Slight	1	Slight	Reactivity.....
Personal Protection.....	None	Minimal	0	Insignificant	Special Precautions.....
					None