# Safety Data Sheet



# **SECTION 1: Product and company identification**

Product name : Clean and Crisp

Product code : 804301

Company : Share Corporation P.O. Box 245013

Milwaukee, WI 53224 - USA

T (414) 355-4000

sharecorp.com : Chemtrec: (800) 424-9300

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

GHS-US classification

**Emergency number** 

Flam. Aerosol 1 H222
Press. Gas (Liq.) H280
Skin Irrit. 2 H315
Eye Irrit. 2A H319
STOT SE 3 H336

### 2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)







GHS02 GHS04 GHS07

Signal word (GHS US) : Danger

Hazard statements (GHS US) : Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Call a poison center or doctor if you feel unwell.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Store in a well-ventilated place.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Dispose of contents/container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation.

# 2.3. Other hazards

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

Not applicable.

# Safety Data Sheet



# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name                                  | Product identifier   | %     | GHS-US classification    |
|---------------------------------------|----------------------|-------|--------------------------|
| Acetone                               | (CAS-No.) 67-64-1    | 40-80 | Flam. Liq. 2, H225       |
|                                       |                      |       | Eye Irrit. 2A, H319      |
|                                       |                      |       | STOT SE 3, H336          |
| Petroleum Gases, Liquefied, Sweetened | (CAS-No.) 68476-86-8 | 10–30 | Flam. Gas 1, H220        |
|                                       |                      |       | Press. Gas (Comp.), H280 |
|                                       |                      |       | Muta. 1B, H340           |
|                                       |                      |       | Carc. 1A, H350           |

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general

First-aid measures after inhalation

First-aid measures after skin contact

Call a poison center or a doctor if you feel unwell.

Remove person to fresh air and keep comfortable for breathing.
 Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical

advice/attention.

First-aid measures after eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol. Reactivity : Extremely flammable aerosol.

### 5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

# 6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

# 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

# Safety Data Sheet



#### 6.3. Methods and material for containment and cleaning up

Mechanically recover the product. Methods for cleaning up

Other information Dispose of materials or solid residues at an authorized site.

#### Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

#### Precautions for safe handling

Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures

Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

# Conditions for safe storage, including any incompatibilities

Storage conditions

Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Keep container tightly closed. Keep cool.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

| Clean and Crisp | ean and Crisp    |                               |  |
|-----------------|------------------|-------------------------------|--|
| ACGIH           | Remark (ACGIH)   | TLV® Basis: Simple Asphyxiant |  |
| OSHA            | OSHA PEL TWA [1] | 1800 mg/m³                    |  |
| OSHA            | OSHA PEL TWA [2] | 1000 ppm                      |  |

| Acetone (67-64-1) | Acetone (67-64-1)    |   |  |
|-------------------|----------------------|---|--|
| ACGIH             | ACGIH OEL TWA [ppm]  | 250 ppm   |  |
| ACGIH             | ACGIH OEL STEL [ppm] | 500 ppm   |  |
| ACGIH             | Remark (ACGIH)       | TLV® Basis: URT & eye irr; CNS impair. Notations: A4 (Not |  |
|                   |                      | classifiable as a Human Carcinogen); BEI                  |  |
| OSHA              | OSHA PEL TWA [1]     | 2400 mg/m³  |  |
| OSHA              | OSHA PEL TWA [2]     | 1000 ppm  |  |

### Petroleum Gases, Liquefied, Sweetened (68476-86-8)

Not applicable

# **Exposure controls**

Appropriate engineering controls Ensure good ventilation of the work station.

Personal protective equipment Gloves. Protective goggles. Wear protective clothing.







Hand protection Protective gloves. Eye protection Safety glasses.

Skin and body protection Wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Environmental exposure controls Avoid release to the environment.

# SECTION 9: Physical and chemical properties

# Information on basic physical and chemical properties

Physical state Gas

Appearance Clear, colorless gas

Odour Fresh

Odour threshold No data available No data available

Issue date: 11/28/2023 Version: 1.0 Z US GHS SDS 21 Page 3 of 6

# Safety Data Sheet



Melting point : No data available
Freezing point : No data available
Boiling point : > 130 °F
Flash point : < 100 °F
Relative evaporation rate (butylacetate=1) : > 3

Flammability : No data available
Explosive limits : No data available
Explosive properties : No data available
Oxidising properties : No data available
Vapour pressure : < 180 @ 70°F
Relative density : No data available

Relative vapour density at 20°C : < 2

No data available Solubility Partition coefficient n-octanol/water (Log Pow) No data available Partition coefficient n-octanol/water (Log Kow) No data available Auto-ignition temperature No data available No data available Decomposition temperature Viscosity No data available Viscosity, kinematic No data available Viscosity, dynamic No data available VOC content 25 %

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Extremely flammable aerosol.

### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified. Carcinogenicity : Not classified.

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Eye irritation.

Issue date: 11/28/2023 Version: 1.0 Z\_US GHS SDS 21 Page 4 of 6

# Safety Data Sheet



# **SECTION 12: Ecological information**

#### 12.1. **Toxicity**

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

#### 12.2. Persistence and degradability

No additional information available

#### Bioaccumulative potential

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

# **Department of Transportation (DOT)**

Transport document description (DOT) UN1950 Aerosols flammable, (each not exceeding 1 L capacity), 2.1

UN-No.(DOT) UN1950 Proper Shipping Name (DOT)

Aerosols

flammable, (each not exceeding 1 L capacity) Class (DOT) 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Hazard labels (DOT) 2.1 - Flammable gas



DOT Special Provisions (49 CFR 172.102) N82 306

DOT Packaging Exceptions (49 CFR

173.xxx)

**DOT Quantity Limitations Passenger** : 75 kg

aircraft/rail (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft : 150 kg

only (49 CFR 175.75)

**DOT Vessel Stowage Location** : A

**DOT Vessel Stowage Other** 25 - Protected from sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division

14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

# **Additional information**

Emergency Response Guide (ERG) : 126

Number

Other information : No supplementary information available.

### **ADR**

## No additional information available

# Transport by sea

UN-No. (IMDG) : 1950 Proper Shipping Name (IMDG) **AEROSOLS** Class (IMDG) 2 - Gases

# Air transport

UN-No. (IATA) : 1950

Proper Shipping Name (IATA) Aerosols, flammable

Class (IATA) 2 - Gases

# **SECTION 15: Regulatory information**

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Issue date: 11/28/2023 Z US GHS SDS 21 Page 5 of 6 Version: 1.0

# Safety Data Sheet



This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

| Acetone | (67-64-1) | CERCLA RQ5000 lb |
|---------|-----------|------------------|
|         | ` '       |                  |

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm


# **SECTION 16: Other information**

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost

all ambient temperature conditions.

: 0 - Material that in themselves are normally stable, even under fire conditions.



# Prepared by: Technical Department

NFPA reactivity

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Issue date: 11/28/2023 Version: 1.0 Z\_US GHS SDS 21 Page 6 of 6