Mulberry Crush Safety Data Sheet



	ТМ
SECTION 1: Product and compan	v identification
	Mulberry Crush 804301
	Share Corporation
	P.O. Box 245013
	Milwaukee, WI 53224 - USA
	T (414) 355-4000
	sharecorp.com
Emergency number : 0	Chemtrec: (800) 424-9300
SECTION 2: Hazards identification	n
2.1. Classification of the substance of	
	, mixture
GHS-US classification Flam. Aerosol 1 H222	
Press. Gas (Liq.) H280	
Eye Irrit. 2A H319	
STOT SE 3 H336	
2.2. Label elements	
GHS US labelling Hazard pictograms (GHS US)	
Signal word (CLIS LIS)	GHS02 GHS04 GHS07
Signal word (GHS US) Hazard statements (GHS US)	: Danger : Extremely flammable aerosol.
	Contains gas under pressure; may explode if heated.
	Causes serious eye irritation.
	May cause drowsiness or dizziness.
Precautionary statements (GHS US)	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	Do not spray on an open flame or other ignition source.
	Do not pierce or burn, even after use.
	Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling
	Use only outdoors or in a well-ventilated area.
	Wear protective gloves/protective clothing/eye protection/face protection.
	If inhaled: Remove person to fresh air and keep comfortable for breathing.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
	Call a poison center or doctor if you feel unwell.
	If eye irritation persists: Get medical advice/attention.
	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
	Store locked up. Protect from sunlight. Store in a well-ventilated place.
	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
	Dispose of contents/container to hazardous or special waste collection point, in accordance with
	local, regional, national and/or international regulation.
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS US	(ذ

Not applicable.

SECTION 3: Composition/information on ingredients				
3.1.	Substances			
Not applicable				
3.2.	Mixtures			
Name		Product identifier	%	GHS-US classification

Safety Data Sheet



Γ	Acetone	(CAS-No.) 67-64-1	60-80	Flam. Liq. 2, H225
				Eye Irrit. 2A, H319
				STOT SE 3, H336

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures	
4.1. Description of first aid measu	res
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	 Call a poison center or a doctor if you feel unwell. Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and	d effects, both acute and delayed
Symptoms/effects Symptoms/effects after eye contact	 May cause drowsiness or dizziness. Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECT	ION 5: Firefighting measu	ıres
5.1.	Extinguishing media	
Suital	ble extinguishing media	: Water spray. Dry powder. Foam.
5.2.	Special hazards arising from	the substance or mixture
Fire h Reac	azard ivity	: Extremely flammable aerosol. : Extremely flammable aerosol.
5.3.	Advice for firefighters	
Prote	ction during firefighting	 Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures				
6.1. Personal precautions, protectiv	e equipment and emergency procedures			
No additional information available				
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.			
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for conta	inment and cleaning up			
Methods for cleaning up Other information	 Mechanically recover the product. Dispose of materials or solid residues at an authorized site. 			

6.4. Reference to other sections

For further information refer to section 13.

Safety Data Sheet



SECTION 7: Handling and	storage
7.1. Precautions for safe ha	Indling
Precautions for safe handling Hygiene measures	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe sto	rage, including any incompatibilities
Storage conditions	 Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Keep container tightly closed. Keep cool.

SECTION 8: Exposure controls/personal protection

rameters	
Remark (ACGIH)	TLV® Basis: Simple Asphyxiant
OSHA PEL TWA [1]	1800 mg/m ³
OSHA PEL TWA [2]	1000 ppm
	Remark (ACGIH) OSHA PEL TWA [1]

Acetone (67-64-1)		
ACGIH	ACGIH OEL TWA [ppm]	250 ppm
ACGIH	ACGIH OEL STEL [ppm]	500 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: URT & eye irr; CNS impair. Notations: A4 (Not
		classifiable as a Human Carcinogen); BEI
OSHA	OSHA PEL TWA [1]	2400 mg/m ³
OSHA	OSHA PEL TWA [2]	1000 ppm

8.2. **Exposure controls**

Appropriate engineering controls Personal protective equipment

- Ensure good ventilation of the work station. Gloves. Protective goggles. Wear protective clothing. :



Hand protection Eye protection Skin and body protection Respiratory protection Environmental exposure controls

- Protective gloves.
- Safety glasses.
- Wear suitable protective clothing.
- In case of insufficient ventilation, wear suitable respiratory equipment.
 - Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	I chemical properties
Physical state Appearance Odour	: Gas : Clear to light yellow : Mulberry
Odour threshold pH Melting point	: No data available : No data available : No data available
Freezing point Boiling point	: No data available : No data available : < 100 °F
Flash point Relative evaporation rate (butylacetate=1) Flammability	: > 3 : No data available
Explosive limits Explosive properties Oxidising properties	 No data available No data available No data available
Vapour pressure Relative density Relative vapour density at 20°C	: < 180 @ 70°F : 0.785 – 0.795 : < 2
Solubility	: No data available

Safety Data Sheet



Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature Viscosity Viscosity, kinematic Viscosity, dynamic VOC content	 No data available 24 %
SECTION 10: Stability and reactivity	
10.1. Reactivity	

Extremely flammable aerosol.

10.2. Chemical stability	
---------------------------------	--

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity	: Not classified			
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified Causes serious eye irritation. Not classified Not classified Not classified 			
Reproductive toxicity STOT-single exposure	: Not classified : May cause drowsiness or dizziness.			
STOT-repeated exposure	: Not classified			
Aspiration hazard Symptoms/effects after eye contact	: Not classified : Eye irritation.			

SECTION 12: Ecological informatio	on de la constant de
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
12.2. Persistence and degradability	
No additional information available	
12.3 Bioaccumulative potential	

No additional information available

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			

Safety Data Sheet



SECTION 14: Transport information	on
Department of Transportation (DOT)	
Transport document description (DOT) UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Hazard labels (DOT)	 : UN1950 Aerosols flammable, (each not exceeding 1 L capacity), 2.1 : UN1950 : Aerosols flammable, (each not exceeding 1 L capacity) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 : 2.1 - Flammable gas
DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) DOT Vessel Stowage Location DOT Vessel Stowage Other	 N82 306 75 kg 150 kg 4 25 - Protected from sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Additional information	
Emergency Response Guide (ERG)	: 126
Number Other information	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG)	: 1950 : AEROSOLS : 2 - Gases
Air transport	
UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA)	: 1950 : Aerosols, flammable : 2 - Gases

SECTION 15: Regulatory information

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Acetone	(67-64-1)	CERCLA RQ5000 lb
---------	-----------	------------------

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

Safety Data Sheet

NFPA fire hazard NFPA reactivity

: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions. :

0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.