



SHARE  
CORP

# SNOW PRO

## SILICONE SNOWPLOW COATING SPRAY

MEDIUM VISCOSITY, LIGHT DUTY,  
NO GUMMING, REDUCES FRICTION,  
PROTECTS AND RENEWS.

### **DANGER: EXTREMELY FLAMMABLE**

Extremely flammable aerosol. May be fatal if swallowed and enters airways.  
Causes serious eye irritation. May cause drowsiness or dizziness.  
Suspected of damaging fertility or the unborn child.

### **KEEP OUT OF REACH OF CHILDREN**

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS.

**Net Wt. 13 oz. (369 g)**

**SNOW PRO** is a special blend of silicone lubricants formulated to provide a surface coating that is "slick", preventing snow from sticking to plow blades, thus reducing drag and increasing the efficiency of snow removal operations.

A versatile product, **SNOW PRO** can also be used as a lubricant to prevent sticking, binding and squeaking at critical control points by reducing friction in metal-to-metal contact.

The versatility of **SNOW PRO** doesn't just stop at plow blades. On vehicles it prevents freezing of lock mechanisms, lubricates rubber door and window seals, lubricates hinges, and acts as a release coating for salt equipment.

**SNOW PRO** also provides a release coating for road signs, allowing the spray from plow blades to slide right off.



#### **DANGER:**

Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child.

#### **PREVENTION:**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, open flames, sparks, and smoking. Do not spray on an open flame or other ignition source. Pressurized container. Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye protection, face protection.

#### **DIRECTIONS:**

Pre-clean all surfaces to be treated. Hold aerosol can 8" to 10" from surface. Spray **SNOW PRO** lightly with a side-to-side sweeping motion. Avoid over spraying. Wipe off excess with a clean cloth and buff lightly to set the "slick" coating. To lubricate sticking parts, work the part back and forth while applying **SNOW PRO** to allow good penetration.

#### **INGREDIENTS/CAS#:**

Acetone (67-64-1); Aliphatic Petroleum Solvent (64742-89-8); Distillates (Petroleum), Hydrotreated Light (64742-47-8); n-Heptane (142-82-5); Polydimethylsiloxane (63148-62-9); Cyclohexane (110-82-7); n-Hexane (110-54-3); Liquefied Petroleum Gas (68476-86-8)

#### **NFPA® RATINGS:**

Health: 1; Flammability: 4; Reactivity: 0

#### **⚠️ WARNING:**

This product can expose you to toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Sold by:

8102.052715

Share Corp. • P.O. Box 245013 • Milwaukee, WI 53224 • (800) 776-7192 • [www.sharecorp.com](http://www.sharecorp.com)

**RESPONSE:**  
**IF SWALLOWED:** Immediately call a doctor, a POISON CENTER,  
**IF INHALED:** Remove person to fresh air and keep comfortable for breathing  
**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
**IF EXPOSED OR CONCERNED:** Get medical advice/attention. Call a doctor, a POISON CENTER if you feel unwell. Do NOT induce vomiting.  
**IF EYE IRRITATION PERSISTS:** Get medical advice/attention

**STORAGE:**  
Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.



Please Recycle.