Safety Data Sheet



Product name	l company identification : Fresh Lift
Use of the substance/mixture	
Use of the substance/mixture	: Aerosol Bacterial digestant
Product code	: 841201
Company	: Share Corporation P.O. Box 245013 Milwaukee, WI 53224 - USA T (414) 355-4000
Emergency number	: Chemtrec: (800) 424-9300
SECTION 2: Hazards ide	ntification
2.1. Classification of the subst	ance or mixture
Classification (GHS-US)	
Flam. Aerosol 2 H223 Liquefied gas H280	
Full text of H-phrases: see sect	tion 16
2.2. Label elements	
GHS-US labeling	
	GHS02 GHS04
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: Flammable aerosol Contains gas under pressure; may explode if heated
Precautionary statements (GHS	S-US) : Keep away from heat, hot surfaces, open flames, sparks No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use Protect from sunlight. Store in a well-ventilated place Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
2.3. Other hazards No additional information availa	
2.4. Unknown acute toxicity (C Not applicable	5115 USJ
SECTION 3: Composition	n/information on ingredients
SECTION 3: Composition 3.1. Substance	n/information on ingredients

### 3.2 Mixture

3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
Petroleum gases, liquefied, sweetened, Petroleum gas, [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).]	(CAS No) 68476-86-8	3 - 7	Flam. Gas 1, H220 Compressed gas, H280 Muta. 1B, H340 Carc. 1A, H350

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	ou feel unwell, seek medical advice (show the la	bel where possible).
First-aid measures after inhalation	nove the victim into fresh air.	
First-aid measures after skin contact	sh with plenty of soap and water. If skin irritation	or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	N EYES: Rinse cautiously with water for several y to do. Continue rinsing. If eye irritation persists	minutes. Remove contact lenses, if present and s: Get medical advice/attention.
First-aid measures after ingestion	not induce vomiting without medical advice. Rins son center or a doctor if you feel unwell.	se mouth with water. Drink plenty of water. Call a



Safety Data Sheet	CORP
<b>4.2. Most important symptoms and effe</b> Symptoms/injuries Symptoms/injuries after inhalation Symptoms/injuries after skin contact Symptoms/injuries after eye contact Symptoms/injuries after ingestion	<ul> <li>ccts, both acute and delayed</li> <li>Contents under pressure.</li> <li>May cause respiratory irritation.</li> <li>Contact during a long period may cause light irritation.</li> <li>Direct contact with the eyes is likely irritating.</li> <li>Gastrointestinal complaints.</li> </ul>
<b>4.3. Indication of any immediate medica</b> Treat symptomatically.	al attention and special treatment needed
<b>SECTION 5: Firefighting measur</b>	res
5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Adapt extinguishing media to the environment.</li><li>Solid water jet ineffective as extinguishing medium.</li></ul>
5.2. Special hazards arising from the su Fire hazard	ibstance or mixture : Flammable aerosol.
Explosion hazard	: Contents under pressure.
Reactivity	: Thermal decomposition generates : carbon oxides. Nitrogen oxides.
5.3. Advice for firefighters Firefighting instructions	: Exercise caution when fighting any chemical fire. Do not breathe fumes from fires or vapors from decomposition.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release n	neasures
6.1. Personal precautions, protective eq General measures	uipment and emergency procedures : No flames, No sparks. Eliminate all sources of ignition. No naked lights. No smoking.
<b>6.1.1. For non-emergency personnel</b> Protective equipment	: Do not enter without an appropriate protective equipment.
6.1.2. For emergency responders	
Protective equipment Emergency procedures	<ul> <li>Equip cleanup crew with proper protection.</li> <li>Stop leak if safe to do so. Stop release. Ventilate area.</li> </ul>
6.2. Environmental precautions Take up liquid spill into inert absorbent n	naterial.
6.3. Methods and material for containing	nent and cleaning up
For containment	: Dam up the liquid spill. Collect spillage.
Methods for cleaning up	: Take up liquid spill into inert absorbent material. Following product recovery, flush area with water.
6.4. Reference to other sections No additional information available	
SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Keep away from heat, sparks and flame.
7.2. Conditions for safe storage, includi Technical measures	ing any incompatibilities : Do not puncture, incinerate or crush.
Storage conditions	: Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep cool. Protect from sunlight. Store in a
Incompatible products	well-ventilated place. Store in a dry place. : alkalis. strong acids. Strong oxidizers.
SECTION & Exposure contrology	personal protection
<b>SECTION 8: Exposure controls/p</b> 8.1. Control parameters	
No additional information available	
8.2 Exposure controls	

8.2. Exposure controls Appropriate engineering controls

: Ensure good ventilation of the work station.

Safety Data Sheet

Personal protective equipment

Safety glasses. Use appropriate personal protective equipment when risk assessment indicates this : is necessary.



SECTION 9: Physical and chemical pr	operties
9.1. Information on basic physical and chemic	al properties
Physical state	: Gas
Appearance	: Aerosol. White. Foam.
Odor	: Pleasant odor
Odor threshold	: No data available
рН	: 9.8
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 212 °F
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: 6 %

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition generates : carbon oxides. Nitrogen oxides.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions No additional information available

#### 10.4. Conditions to avoid

Aerosol containers are unstable at temperatures above 49°C. Avoid temperatures exceeding the flash point.

#### 10.5. Incompatible materials

Strong oxidizing agents. reducing agents. Acid chlorides.

**10.6.** Hazardous decomposition products Thermal decomposition generates : Nitrogen oxides. Carbon monoxide. Carbon dioxide.

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Acute toxicity

: Not classified

Version: 1.0

SHARE CORP

Safety Data Sheet	CORP
Skin corrosion/irritation	: Not classified
	pH: 9.8
Serious eye damage/irritation	: Not classified
	pH: 9.8
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Contact during a long period may cause light irritation.
Symptoms/injuries after eye contact	: Direct contact with the eyes is likely irritating.
Symptoms/injuries after ingestion	: Gastrointestinal complaints.
Likely routes of exposure	: Skin and eyes contact.;Ingestion.;Inhalation
SECTION 12: Ecological information	
12.1. Toxicity No additional information available	
12.2. Persistence and degradability No additional information available	
12.3. Bioaccumulative potential	
SECTION 13: Disposal considerations 13.1. Waste treatment methods Waste treatment methods	
SECTION 14: Transport information	
Department of Transportation (DOT)	
	UN1950 Aerosols (flammable, (each not exceeding 1 L capacity)), 2.1
UN-No.(DOT) :	UN1950
Proper Shipping Name (DOT) :	Aerosols
	flammable, (each not exceeding 1 L capacity)
Transport hazard class(es) (DOT) :	flammable, (each not exceeding 1 L capacity) 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
	2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
	2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
	2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
	2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT) :	2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 2.1 - Flammable gas
Hazard labels (DOT) :	2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 2.1 - Flammable gas
Hazard labels (DOT) : DOT Packaging Non Bulk (49 CFR 173.xxx) : DOT Packaging Bulk (49 CFR 173.xxx) :	2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 2.1 - Flammable gas None None
Hazard labels (DOT):DOT Packaging Non Bulk (49 CFR 173.xxx):DOT Packaging Bulk (49 CFR 173.xxx):DOT Special Provisions (49 CFR 172.102):DOT Packaging Exceptions (49 CFR:	2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 2.1 - Flammable gas
Hazard labels (DOT) : DOT Packaging Non Bulk (49 CFR 173.xxx) : DOT Packaging Bulk (49 CFR 173.xxx) : DOT Special Provisions (49 CFR 172.102) : DOT Packaging Exceptions (49 CFR : 173.xxx)	2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 2.1 - Flammable gas None None N82
Hazard labels (DOT) : DOT Packaging Non Bulk (49 CFR 173.xxx) : DOT Packaging Bulk (49 CFR 173.xxx) : DOT Special Provisions (49 CFR 172.102) : DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger : aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft :	2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 2.1 - Flammable gas None None N82 306
Hazard labels (DOT) : DOT Packaging Non Bulk (49 CFR 173.xxx) : DOT Packaging Bulk (49 CFR 173.xxx) : DOT Special Provisions (49 CFR 172.102) : DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger : aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft : only (49 CFR 175.75)	2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 2.1 - Flammable gas None None N82 306 75 kg

: 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

DOT Vessel Stowage Other

Safety Data Sheet



Additional information Other information

: This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.306.

ADR No additional information available	
Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG)	: UN1950 : Aerosols, Ltd. Qty. : 2.1 - Flammable gases
Air transport UN-No.(IATA) Proper Shipping Name (IATA) Class (IATA)	: UN1950 : Aerosols, Ltd. Qty. : 2.1 - Gases : Flammable

### **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.


California Proposition 65 - This product does not contain trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

SECTION 16: Other information			
Training advice :	Normal use of this product shall imply use in accordance with the instructions on the packaging.		

#### Full text of H-phrases:

Carc. 1A	Carcinogenicity Category 1A
Compressed gas	Gases under pressure Compressed gas
Flam. Aerosol 2	Flammable aerosol Category 2
Flam. Gas 1	Flammable gases Category 1
Liquefied gas	Gases under pressure Liquefied gas
Muta. 1B	Germ cell mutagenicity Category 1B
H220	Extremely flammable gas
H223	Flammable aerosol
H280	Contains gas under pressure; may explode if heated
H340	May cause genetic defects
H350	May cause cancer

NFPA health hazard	:	0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	:	1 - Must be preheated before ignition can occur.
NFPA reactivity	:	0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.