Safety Data Sheet



SECTION 1: Product and company identification

Product name : Mountain Whisper Air Freshener

Use of the substance/mixture : Aerosol Odorant
Product code : 8592 - Share
Company : Share Corporation P.O. Box 245013

Milwaukee, WI 53224 - USA

T (414) 355-4000 sharecorp.com

Emergency number : Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Aerosol 2 H223 Press. Gas (Comp.) H280 Eye Irrit. 2A H319

2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)







GHS02 GHS04 GHS07

Signal word (GHS US) : Warning

Hazard statements (GHS US) : Flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes serious eye irritation.

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use. Wash thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. Protect from sunlight. Store in a well-ventilated place.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Acetone	(CAS-No.) 67-64-1	60.0 - 80.0	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			STOT SE 3, H336
Propane	(CAS-No.) 74-98-6	10.0 - 30.0	Flam. Gas 1, H220
			Press. Gas (Comp.), H280

Issue date: 2/13/2023 Revision date: 02/10/2023 Version: 1.0 Z_US GHS SDS 21 Page 1 of 6

Safety Data Sheet



Butane	(CAS-No.) 106-97-8	10.0 - 30.0	Flam. Gas 1, H220 Press. Gas (Comp.), H280
Proprietary Fragrance Mixture	(CAS-No.) Proprietary	5.0 - 10.0	Not classified

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove the victim into fresh air. Artificial respiration and/or oxygen if necessary. If experiencing

respiratory symptoms: Call a poison center or a doctor.

First-aid measures after skin contact : Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth with water. Do not induce vomiting without medical advice. Drink plenty of water. Get

medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes eye irritation.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Causes eye irritation.
Symptoms/effects after ingestion : Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder. Carbon dioxide. Foam. Water spray. Water fog.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable aerosol.

Explosion hazard : Contains gas under pressure; may explode if heated.

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Do not breathe fumes from fires or vapours from

decomposition. Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No flames, no sparks. Eliminate all sources of ignition. No open flames. No smoking.

6.1.1. For non-emergency personnel

Protective equipment : Do not enter without an appropriate protective equipment.

Emergency procedures : No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Take up liquid spill into inert absorbent material. Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up

For containment : Dam up the liquid spill. Collect spillage.

Methods for cleaning up : Take up liquid spill into inert absorbent material.

lssue date: 2/13/2023 Revision date: 02/10/2023 Version: 1.0 Z US GHS SDS 21 Page 2 of 6

Safety Data Sheet



6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Do not pierce or burn, even after use. Keep away from heat, sparks and flame.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Do not puncture, incinerate or crush.

Storage conditions : Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep cool. Protect from sunlight. Store in a

well-ventilated place. Store in a dry place.

Incompatible products : alkalis. Strong oxidizers. Acids. Storage area : Store in a well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Acetone (67-64-1)		
ACGIH	ACGIH OEL TWA [ppm]	250 ppm
ACGIH	ACGIH OEL STEL [ppm]	500 ppm
ACGIH	Remark (ACGIH)	eye irr; CNS impair; BEI
OSHA	OSHA PEL TWA [1]	2400 mg/m³
OSHA	OSHA PEL TWA [2]	1000 ppm

Propane (74-98-6)		
ACGIH	ACGIH OEL TWA [ppm]	1000 ppm
ACGIH	Remark (ACGIH)	Simple Asphyxiant
OSHA	OSHA PEL TWA [1]	1800 mg/m³
OSHA	OSHA PEL TWA [2]	1000 ppm

Butane (106-97-8)		
ACGIH	ACGIH OEL TWA [ppm]	1000 ppm

Proprietary Fragrance Mixture (Proprietary)

Not applicable

8.2. Exposure controls

Appropriate engineering controls

- : Ensure good ventilation of the work station.
- Personal protective equipment : Safety glasses. Gloves. Use appropriate personal protective equipment when risk assessment indicates

this is necessary.





SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Aerosol,White,mist
Odour : characteristic
Odour threshold : No data available

pH : 7

Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Flash point : > 200 °F
Relative evaporation rate (butylacetate=1) : No data available
Flammability : No data available

lssue date: 2/13/2023 Revision date: 02/10/2023 Version: 1.0 Z US GHS SDS 21 Page 3 of 6

Safety Data Sheet



Explosive limits : No data available Explosive properties : No data available Oxidising properties : No data available Vapour pressure : No data available Relative density : No data available Relative vapour density at 20 °C : No data available

Density : 0.97 g/ml

Solubility : Moderately soluble in water.

Partition coefficient n-octanol/water (Log Pow) No data available Partition coefficient n-octanol/water (Log Kow) No data available Auto-ignition temperature No data available Decomposition temperature No data available No data available Viscosity Viscosity, kinematic No data available Viscosity, dynamic No data available VOC content Not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Aerosol containers are unstable at temperatures above 49°C. Avoid temperatures exceeding the flash point. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing agent. Acids. alkalis.

Reproductive toxicity

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified.

рН: 7

Serious eye damage/irritation : Causes serious eye irritation.

pH: 7

Not classified

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified. Carcinogenicity : Not classified.

STOT-single exposure : Not classified.
STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Causes eye irritation.
Symptoms/effects after ingestion : Gastrointestinal complaints.

Likely routes of exposure : Skin and eyes contact;Ingestion;Inhalation

Issue date: 2/13/2023 Revision date: 02/10/2023 Version: 1.0 Z_US GHS SDS 21 Page 4 of 6

Safety Data Sheet



SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container to comply with local/regional/national/international regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description (DOT) : UN1950 Aerosols flammable, (each not exceeding 1 L capacity), 2.1

UN-No.(DOT) : UN1950

Proper Shipping Name (DOT) : Aerosols

flammable, (each not exceeding 1 L capacity)

2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Class (DOT) : 2.1 - Class 2.1 - Flam Hazard labels (DOT) : 2.1 - Flammable gas



DOT Packaging Non Bulk (49 CFR 173.xxx) : None DOT Packaging Bulk (49 CFR 173.xxx) : None DOT Special Provisions (49 CFR 172.102) : N82 DOT Packaging Exceptions (49 CFR : 306

173.xxx)

DOT Quantity Limitations Passenger : 75 kg

aircraft/rail (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft : 150 kg

only (49 CFR 175.75)

DOT Vessel Stowage Location : A

DOT Vessel Stowage Other : 25 - Protected from sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division

14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Additional information

Other information : When transported by ground, this product may be eligible to be shipped as a Limited Quantity utilizing

the exception found at 49 CFR 173.306. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

ADR

No additional information available

Transport by sea

UN-No. (IMDG) : UN1950
Proper Shipping Name (IMDG) : Aerosols, Ltd. Qty.

Class (IMDG) : 2.1 - Flammable gases

Air transport

UN-No. (IATA) : UN1950

Proper Shipping Name (IATA) : Aerosols, Ltd. Qty.
Class (IATA) : 2.1 - Gases : Flammable

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Issue date: 2/13/2023 Revision date: 02/10/2023 Version: 1.0 Z_US GHS SDS 21 Page 5 of 6

Safety Data Sheet



This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Acetone ((67-64-1)	CERCLA RQ5000 lb
-----------	-----------	------------------

California Proposition 65 - This product does not contain trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

SECTION 16: Other information


Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost

all ambient temperature conditions.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Issue date: 2/13/2023 Revision date: 02/10/2023 Version: 1.0 Z_US GHS SDS 21 Page 6 of 6