Safety Data Sheet



	pany identification
Product name	: Sun Grove Air Freshener
Use of the substance/mixture	: Aerosol
Dreduct es de	Odorant
Product code Company	: 8595-Share : Share Corporation
Company	P.O. Box 245013
	Milwaukee, WI 53224 - USA
	T (414) 355-4000
Emorgonou number	sharecorp.com : Chemtrec: (800) 424-9300
Emergency number	. Chemilec. (000) 424-9300
SECTION 2: Hazards identific	ation
.1. Classification of the substa	nce or mixture
GHS-US classification	
Flam. Aerosol 2 H223	
Press. Gas (Comp.) H280 Eye Irrit. 2A H319	
STOT SE 3 H336	
.2. Label elements	
HS US labelling	
Signal word (GHS US) Hazard statements (GHS US)	GHS02 GHS04 GHS07 : Warning : Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness
	 Warning Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center or doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Dispose of contents/container to hazardous or special waste collection point, in accordance with
Hazard statements (GHS US)	 Warning Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center or doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.4. Unknown acute toxicity (GHS US)

Not ap	olicable.				
SECT	ION 3: Composi	ition/information on ingredie	nts		
3.1.	Substances				
Not ap	olicable				
3.2.	Mixtures				
Issue d	ate: 2/13/2023	Revision date: 02/10/2023	Version: 1.0	Z_US GHS SDS 21	Page 1 of 6

Safety Data Sheet



Name	Product identifier	%	GHS-US classification
Acetone	(CAS-No.) 67-64-1	60.0 - 80.0	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			STOT SE 3, H336
Propane	(CAS-No.) 74-98-6	10.0 - 30.0	Flam. Gas 1, H220
			Press. Gas (Comp.), H280
Butane	(CAS-No.) 106-97-8	10.0 - 30.0	Flam. Gas 1, H220
			Press. Gas (Comp.), H280
Proprietary Fragrance Mixture	(CAS-No.) Proprietary	5.0 - 10.0	Not classified

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures			
4.1. Description of first aid measure	es		
First-aid measures general	: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention.		
First-aid measures after inhalation	: Remove the victim into fresh air. Artificial respiration and/or oxygen if necessary. Do not apply mouth- to-mouth resuscitation. Induce artificial respiration with the aid of a pocket mask equipped with a one- way valve or other proper respiratory medical device. Respiratory problems: consult a doctor/medical service.		
First-aid measures after skin contact	: Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention. For minor skin contact, avoid spreading material on unaffected skin.		
First-aid measures after eye contact	: Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Get medical advice/attention. Rinse mouth with water. Do not induce vomiting without medical advice.		
4.2. Most important symptoms and	effects, both acute and delayed		
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 Direct contact with the eyes is likely to be irritating. No effects known. No effects known. Direct contact with the eyes is likely to be irritating. Not expected to present a significant ingestion hazard under anticipated conditions of normal use. 		

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Keep watching the victim. Symptoms may be delayed.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	 Water fog. Foam. Dry chemical powder. Carbon dioxide. Do not use a water jet since it may cause the fire to spread. 		
5.2. Special hazards arising from	the substance or mixture		
Fire hazard Explosion hazard Reactivity	 Extremely flammable aerosol. Contents under pressure. Pressurised container: May burst if heated. The product is non-reactive under normal conditions of use, storage and transport. 		
5.3. Advice for firefighters			
Firefighting instructions	Move containers away from the fire area if this can be done without risk. Use water spray or fog for cooling exposed containers. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.		
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.			

SECTION 6: Accidental release measures			
6.1. Personal precautions	s, protective equipment and emergency procedures		
General measures	: Evacuate unnecessary personnel. Stay upwind/keep distance from source. Gas is denser than air. May accumulate in low areas e.g. close to the ground. Eliminate every possible source of ignition.		

6.1.1. For non-emergency personnel

Safety Data Sheet



 Do not enter without an appropriate protective equipment. Do not touch spilled material. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Advise local authorities if considered necessary.
Equip cleanup crew with proper protection.Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Prevent runoff from entering drains, sewers or waterways. Avoid discharge to the environment. Advise local authorities if considered necessary. Stop leak if safe to do so.

6.3. Methods and material for c	Methods and material for containment and cleaning up		
For containment	: Eliminate every possible source of ignition. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if safe to do so. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Prevent the product from entering drains or confined areas. For further information refer to section 13.		
Methods for cleaning up	: Take up liquid spill into absorbent material. Following product recovery, flush area with water.		

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed Precautions for safe handling	 Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any incandescent material. Do not smoke while handling product. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. Do not re-use empty containers. Avoid breathing dust, fume, gas, mist, spray, vapours. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required. Do not discharge the waste into the drain. 		
Hygiene measures	: Use good personal hygiene practices.		
7.2. Conditions for safe storage, in	cluding any incompatibilities		
Technical measures	 Pressurized container. Do not puncture, incinerate or crush. Take precautionary measures against static discharge. 		
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Refrigerate. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
Incompatible materials	: Heat sources. Sources of ignition.		
Heat and ignition sources Storage area	 KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources. Aerosol, Category 1. 		

SECTION 8: Exposure controls/personal protection

8.1.	Control parameters			
Acetor	Acetone (67-64-1)			
ACGIH	1	ACGIH OEL TWA [ppm]	250 ppm	
ACGIH	ł	ACGIH OEL STEL [ppm]	500 ppm	
ACGIH	ł	Remark (ACGIH)	eye irr; CNS impair; BEI	
OSHA		OSHA PEL TWA [1]	2400 mg/m ³	
OSHA		OSHA PEL TWA [2]	1000 ppm	

Proprietary Fragrance Mixture (Proprietary)

Not applicable

Propane (74-98-6)

ACGIH	ACGIH OEL TWA [ppm]	1000 ppm
ACGIH	Remark (ACGIH)	Simple Asphyxiant
OSHA	OSHA PEL TWA [1]	1800 mg/m ³
OSHA	OSHA PEL TWA [2]	1000 ppm

Butane (106-97-8)

Safety Data Sheet

ACGIH	ACGIH OEL TWA [ppm]	1000 ppm
8.2. Exposure controls		
Appropriate engineering contro	applicable, use process enclos airborne levels below recomme maintain airborne levels to an a	
Personal protective equipment	Gloves. Protective clothing. Sa assessment indicates this is ne	fety glasses. Use appropriate personal protective equipment when risk cessary.
Hand protection	: Protective gloves.	
Eye protection	: Chemical goggles or safety gla	
Skin and body protection Respiratory protection	 Wear suitable protective clothin If permissible levels are exceed supplied respirator. 	ig. Ied use NIOSH mechanical filter / organic vapor cartridge or an air-
Thermal hazard protection Consumer exposure controls	: When using do not smoke. Use	ctive equipment when risk assessment indicates this is necessary. good personal hygiene practices. Take off contaminated clothing. Wash s with mild soap and water before eating, drinking or smoking and when

SECTION 9: Physical and chemical properties	
--	--

9.1. Information on basic physical and ch	nemical properties
Physical state	: Gas
Appearance	: Aerosol, Cloudy, Liquid
Odour	: characteristic
Odour threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 212 °F estimated
Flash point	: -156 °F Propellant estimated
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Density	: 0.877 g/ml estimated
Solubility	: Not determined.
Partition coefficient n-octanol/water (Log Pow)	No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	No data available
VOC content	: Not Determined

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Risk of ignition.

10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

Safety Data Sheet



10.4. Conditions to avoid

Aerosol containers are unstable at temperatures above 49°C. Avoid temperatures exceeding the flash point.

10.5. Incompatible materials

Strong oxidizing agents. Nitrates. Fluorine. Chlorine.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

COTION 44. Toxicological informati	
SECTION 11: Toxicological informat	
1.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: GCM – Vietnam sequence. Direct contact with the eyes is likely to be irritating.
Symptoms/effects after inhalation	: No effects known.
Symptoms/effects after skin contact	: No effects known.
Symptoms/effects after eye contact	: Direct contact with the eyes is likely to be irritating.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal u
Likely routes of exposure	: Skin and eyes contact;Inhalation

SECTION 12: Ecological information		
12.1. Toxicity		
No additional information available		
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
No additional information available		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods : Collect and reclaim or dispose in sealed containers at licensed waste disposal site Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container to comply with local/regional/national/international regulations.		
Product/Packaging disposal : Dispose in a safe manner in accordance with local/national regulations.		

recommendations Additional information

: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Handle empty containers with care because residual vapours are flammable. Handle uncleaned empty containers as full ones. Do not re-use empty containers.

SECTION 14: Transport informat	ion
Department of Transportation (DOT)	
Transport document description (DOT) UN-No.(DOT)	: UN1950 Aerosols flammable, (each not exceeding 1 L capacity), 2.1 : UN1950
Proper Shipping Name (DOT)	: Aerosols flammable, (each not exceeding 1 L capacity)
Class (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Safety Data Sheet



	ТМ
Hazard labels (DOT)	: 2.1 - Flammable gas
	PLANAELE EAS
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	None
DOT Special Provisions (49 CFR 172.102)	: N82
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A
DOT Vessel Stowage Other	: 25 - Protected from sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Additional information	
Other information	: When transported by ground, this product may be eligible to be shipped as a Limited Quantity utilizing the exception found at 49 CFR 173.306. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.
ADR	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: UN1950
Proper Shipping Name (IMDG) Class (IMDG)	: Aerosols : 2.1 - Flammable gases
Air transport	
UN-No. (IATA)	: UN1950
Proper Shipping Name (IATA)	: Aerosols
Class (IATA)	: 2.1 - Gases : Flammable

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Acetone	(67-64-1)	CERCLA RQ5000 lb

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity.

SECTION 16: Other information				
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.			
NFPA health hazard NFPA fire hazard	 1 - Materials that, under emergency conditions, can cause significant irritation. 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions. 			
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.			

Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.