

Breeze Ease[™]

ANIONIC DEPOSITION-COVERAGE AID AND DRIFT RETARDANT

PRINCIPAL FUNCTIONING AGENT:

Polyvinyl Polymer (polyacrylamide)	30%
Ingredients ineffective as spray adjuvants	70%
TOTAL	100%

All ingredients are accepted for use under 40 CFR 180.



KEEP OUT OF REACH OF CHILDREN

Hazards to humans and domestic animals

Causes skin irritation. Causes serious eye irritation. DO NOT FREEZE. Product will cause a slip hazard. Read label before use. Keep container tightly closed. Keep only in original container. Do not breathe dust. fume, gas, mist, vapors or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective glove, protective clothing, eye protection and face protection.

NET CONTENTS: 1 U.S. Quart (0.95 L)

Manufactured for: Share Corp P.O. Box 245013 • Milwaukee, WI 53224 • (800) 776-7192

USAGE RATES per 100 gallons of spray solution General Usage Rate: 1-6 ounces Off center nozzles: 3-6 oz. Cone or raindrop nozzles: 1-2 oz. Spray gun (30-50 psi): 5-8 oz. Flat fan or flood nozzles: 1-4 oz.	<u>28 oz.</u>
For home and garden sprayers, use approximately 1 Tablespoon of Breeze Ease™ per 5 gallons of spray solution.	<u>26 oz.</u>
ADMINISTRATION OF PRODUCT Important: Keep container closed in storage. Do not permit water to come in contact with contents until added to the spray solution.	
Choose proper dosage from chart above.	<u>24 oz.</u>
Fill mix tank with water, pesticide and other additives and begin to agitate.	
Tip Breeze Ease™ bottle back and forth several times before using.	
 There are two ways to achieve optimum mixing results, (1) inject Breeze Ease. Iiquid into the suction side of the feeder for recirculating pump to obtain sufficient distribution of the polymer throughout the pesticide solution, or (2) gradually add Breeze Ease. Iiquid to the rapidly adjusting tank mix in the area of highest turbulence by pouring a very thin stream. 	<u>22 oz.</u>
Agitate mix tank continually for minimum of 2 minutes before spraying.	<u>20 oz.</u>
Note: This product is eminently strong and efficient in mixing as low as 1°02, per 100 gallons. Begin with lower dosage and extend as needed. A condense or "string) " solution implies that too much Breeze Ease " has been used.	
FIRST AID Call a poison control center or doctor immediately for treatment advice. Have the product container with you when kailing a poison control center or doctor, or going for treatment.	<u>18 oz.</u>
VF IN EXES: Rinse cautiously with water for several minutes. Remove contact lenses if present, after the first sminutes, then continue cautiously rinsing eye for several minutes. If eye irritation persists: get immediate medical attention.	<u>16 oz.</u>
A SKIN OR CLOTHING: Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention.	14
IF SWALLOWED: Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.	<u>14 oz.</u>
IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible.	<u>12 oz.</u>
HANDLING: Spills will be slippery and adding water to spills will increase slipperiness. Treat spills with absorbent material. When absorbent material is disposed of, rinse area thoroughly until slipperiness disappears.	
STORAGE : Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage, store between 40° and 90° F. Do Not Freeze .	<u>10 oz.</u>
DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all federal, state and local regulations. Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org.	<u>8 oz.</u>
WARRANTY: Archem Ag warrants that this product when used as directed and in accordance with sound agricultural practices will retard drift and improve deposition in spraying operations which utilize water-based and water emulsifiable solutions. Archem Ag makes no warranty of fitness or merchantability. Archem Ag's maximum liability for breach of this warranty shall not exceed the purchase price of this product. In no event	<u>6 oz.</u>
shall Archem Ag be liable for indirect or consequential damages. This warranty shall not be changed by oral or written agreement unless signed by a duly authorized officer of Archem Ag.	<u>4 oz.</u>