



TROUNCE

TUBERCULOCIDAL

FOOD CONTACT SANITIZER

SOFT SURFACE⁵ SANITIZER

BROAD SPECTRUM HOSPITAL DISINFECTANT

CLEAN AND DISINFECT IN ONE STEP²

NON-CORROSIVE

ELIMINATES ODOR-CAUSING BACTERIA

Active Ingredient:	
Citric Acid	0.60%
Other Ingredients:	99.40%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

EPA REG. NO. 34810-35-11547

EPA EST. 10088-WI-1

Net Contents: One Quart (32 fl.oz)

AREAS OF USE: for use in: Athletic Facilities, Bathrooms, Day care centers, Dental offices, Grooming Facilities, Gyms, Health Care Facilities, Household, Hospitals, Institutional Facilities, Institutions, Kennels, Kitchens, Laboratories or other small animal facilities, Locker Rooms, Medical Offices, Nurseries, Nursing homes, Schools, Veterinary Clinics. **TYPES OF SURFACES:** for use on hard surfaces: Metal, Stainless Steel, Chrome, Plastic, Vinyl, Glass, Glazed Ceramic Tile, Glazed Porcelain, Sealed Granite. **USE SITES:** for use on hard surfaces: Ambulance Patient Care Surfaces, Appliances⁹, Baby/Infant Care Surfaces, Bathing Units, Bathrooms, Bed Railings, Beds, Cabinets, Changing Tables, Children's Toys, Counters, CT Equipment/Surfaces, Dental Equipment Surfaces/Devices, Exam Tables, Exercise Equipment, Floors, Garbage Cans, Infant Care Equipment, Kitchen Surfaces, Laboratory Equipment/Surfaces, Medical Equipment Surfaces/Devices, MRI Equipment Surfaces, Neonatal/Nursery Surfaces, Nonporous Athletic Mats, Patient Bed Surfaces, Patient Transport Surfaces, Play-Care Equipment, Radiology Equipment Surfaces, Shower Floors/Walls, Sinks, Surgical Equipment Surfaces, Toilets (Rims, Seats and Exterior Surfaces), Transportation Equipment Surfaces, Walls, Work Stations, X-Ray Equipment/Surfaces, Coils and drain pans⁶ of HVAC & R equipment. **SOFT SURFACES:** On the following Soft Surfaces⁸: Gym bags, Upholstery, Fabric, Blankets, Draperies, Clothes, Laundry Bags, Hampers, Hospital Gowns, Lab coats, Uniforms, Towels, Shoes.

DISINFECTING

In the presence of 5% blood serum and a contact time of 60 seconds, is effective against:

VIRUCIDAL: PSARS-Cov-2 (cause of COVID-19), Human Immunodeficiency Virus Type 1 (AIDS Virus), ¹Influenza A Virus, ²Respiratory Syncytial Virus (RSV)

In the presence of 5% blood serum and a contact time of 2 minutes, is effective against:

BACTERICIDAL: Carbapenem-resistant *Klebsiella pneumoniae*, *Enterococcus faecalis* Vancomycin Resistant (VRE), *Staphylococcus aureus* - MRSA, *Escherichia coli* (E. coli)

In the presence of 5% blood serum and a contact time of 3 minutes, is effective against:

VIRUCIDAL: Rotavirus, Feline Calicivirus (surrogate for Norovirus), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), ³Rhinovirus (Type 14)

In the presence of 5% blood serum and a contact time of 5 minutes, is effective against:

BACTERICIDAL: *Pseudomonas aeruginosa*, *Salmonella enterica*, *Staphylococcus aureus*, *Escherichia coli* O157:H7, *Listeria monocytogenes*, *Staphylococcus epidermidis* - MRSE

VIRUCIDAL: Adenovirus Type 2, Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2, Vaccinia Virus

FUNGICIDAL: *Candida albicans*, *Trichophyton interdigitale*

In the presence of 5% blood serum and a contact time of 10 minutes, is effective against:

BACTERICIDAL: *Acinetobacter baumannii*

VIRUCIDAL: Canine Parvovirus (CPV), Poliovirus Type 1

TUBERCULOCIDAL: Effective against *Mycobacterium bovis* in 5 minutes at 20°C/68°F on previously cleaned hard non-porous inanimate surfaces.

NONFOOD CONTACT SANITIZER: *Klebsiella pneumoniae* in 60 seconds.

FOOD CONTACT SANITIZER: *Staphylococcus aureus* and *Escherichia coli* in 60 seconds.

SOFT SURFACE SANITIZER: *Klebsiella aerogenes* and *Staphylococcus aureus* in 60 seconds.

ALLERGENS: This product removes the following allergens: cockroach debris/matter/particles, dust mite debris/matter/particles, pet dander, pollen particles, grass.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO DEODORIZE: Apply to surfaces as needed.

TO CLEAN: Apply this product undiluted to hard, non-porous surfaces by spraying, wiping with a cloth or towel until clean. Spot check to test for compatibility.

FOR FOOD CONTACT SANITIZATION: Preclean. Wet the surface. Let stand for 60 seconds on hard, non-porous, surfaces. Wipe or let air dry. Rinse surface with potable water after use.

FOR NON-FOOD CONTACT SANITIZATION: Preclean. Wet the surface. Let stand for 60 seconds on hard, non-porous, surfaces. Wipe or let air dry. No rinsing or wiping is required.

FOR SOFT SURFACE SANITIZATION: Preclean. Spray this product 6-8 inches from soft surface until wet. Let stand for 60 seconds. Allow to air dry.

TO DISINFECT: Product is ready to use. DO NOT DILUTE. Preclean areas with visible soil prior to disinfection. Apply this product undiluted to hard, non-porous surfaces with a sprayer, cloth, mop or brush, or by immersing equipment to be disinfected. Wet all surfaces thoroughly. The surface must remain visibly wet for at least 10 minutes. Wipe or let air dry. Rinse all food contact surfaces with potable water after use.

FUNGICIDAL DIRECTION: This product is effective against *Trichophyton interdigitale* (athlete's foot fungus and a cause of ringworm) on inanimate surfaces in locker rooms, dressing rooms, exercise facilities, and shower and bath areas. Follow disinfection directions.

Veterinary Practice / Animal Care / Animal Laboratory / Zoos / Pet Shop / Kennels Disinfection Directions: For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with this product for a period of 10 minutes. Wipe or allow to air dry. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

Deodorizing and Cleaning of Carpets/Fabrics

To Deodorize and Clean Carpets, Fabrics, and other Materials: This product can be used on most fabrics that can be cleaned with water-based cleaners. Not for use on wool, silk, or suede. Always test for color fastness and material compatibility in an inconspicuous area prior to use. Apply by sprayer, to ensure even coverage and allow for 10 minute contact time. Do not rinse, use hot water extraction wand to remove product from treated surfaces and then dry stroke carpet to remove excess moisture. Carpet can be air dried or fans may be used if carpet needs to dry more quickly.

DECONTAMINATION OF CRITICAL OR SEMI-CRITICAL DEVICES PRIOR TO TERMINAL STERILIZATION/HIGH LEVEL DISINFECTION: This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

***THIS PRODUCT KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in all settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS virus).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS WHICH MAY CONTAIN HIV-1 (AIDS Virus)

PERSONAL PROTECTION: When handling objects soiled with blood or body fluids use disposable latex gloves, gowns, mask and eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

CONTACT TIME: Do Not Dilute. Precleaned surfaces must remain visibly wet for one minute using mop, cloth or sponge to mitigate HIV-1 virus. Use a 10 minute contact time to kill all bacteria, viruses* and fungi listed on the label.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other fluids should be autoclaved and disposed of according to Federal, State and Local regulations for infectious waste disposal.

STORAGE AND DISPOSAL

Store airtight at room temperature. Nonrefillable container. Do not reuse or refill this empty container. Offer empty container for recycling. If recycling is not available, discard in trash.

*Viruses

¹Cold and Flu Viruses

²When used according to disinfection directions

³Allow surface to come to room temperature prior to treatment

⁶Drain pans must be pre-cleaned and dry before applying this product

⁸100% cotton