



# SURFACE INSECTICIDE

- PROVIDES QUICK KILLING ACTION AND RESIDUAL CONTROL
- KILLS BUGS YOU SEE AND EVEN THE ONES YOU DON'T SEE
- PROTECTS FOR UP TO 3 MONTHS

#### ACTIVE INGREDIENTS:

*Tetramethrin	0.10%
**Permethrin	0.25%
***Piperonyl Butoxide, Technical	0.50%

†INERT INGREDIENTS:	99.15%
TOTAL	100.00%

- \* 1-cyclohexene-1,2-dicarboximidomethyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate.
- \*\* (3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethyl cyclopropanecarboxylate. Cis/trans ratio: min. 35% (±) cis and max. 65% (±) trans.
- \*\*\* Equivalent to 0.4% (butylcarbityl)(6-propyl-piperonyl) ether and 0.1% related compounds.
- † Contains petroleum distillates.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

EPA REG. NO. 10088-92-11547 EPA EST. 10088-WI-1

NET CONTENTS: 14 oz. (397 grams)

### PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly after handling. Remove and wash clothing before reuse. Avoid contamination of food and feed.

#### FIRST AID:

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

**NOTE TO PHYSICIAN:** Contains petroleum distillate – vomiting may cause aspiration pneumonia.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water.

**PHYSICAL OR CHEMICAL HAZARDS: FLAMMABLE.** Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in commercial food/feed handling establishments, restaurants or other areas where food is commercially prepared or processed.

Remove protective cap, hold container upright and direct spray away from face. Hold can 12-15 inches from surface being sprayed. Press valve down and spray as directed. Spray surface until slightly wet (at a rate of 4 ounces product to treat approximately 25 square feet of surface area).

**INDOORS: COCKROACHES (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), ANTS, BOOKLICE, BOXELDER BUGS, CENTIPEDES, CRICKETS, DERMESTIDS, FIREBRATS, FLEAS, PALMETTO BUGS, SILVERFISH, SOUBUGS, TICKS AND WATERBUGS:** Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. When pests are driven out, spray directly. Repeat as necessary.

**ANTS:** Spray freely around ant trails, doors and windows and other places where ants enter premises. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary.

**BROWN DOG TICKS and FLEAS in Buildings:** Apply in infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. Do not use directly on pets.

**SPIDERS:** Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawlspaces and other areas over which these pests may crawl.

**CENTIPEDES, EARWIGS, GROUND BEETLES, MILLIPEDES, MOLE CRICKETS, PILLBUGS, SOUBUGS, SCORPIONS and TICKS:** Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

**CARPET BEETLES (BLACK, FURNITURE AND VARIED):** Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**STORAGE:** Do not store near heat or open flame. Store in a cool dry area away from children. Do Not Puncture or Incinerate! **DISPOSAL:** If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions

8407.073007