

Products That Make the WorkZone Safer



Solutions for every workzone...

Whether your workzone is along a stretch of highway, airport, parade route, distribution center, hotel lobby, parking facility, amusement park or any other workzone where vehicular or pedestrian traffic is present, Cortina has the People, Products and Processes that set us apart from the competition!

People - A privately held American company since 1969. Our people make the difference. For generations Cortina has grown from a small manufacturer of plastic products into a leading manufacturer of products for consumer, industrial, commercial, heavy duty truck and lawn and garden markets.

Products - With North America's broadest offering of safety product solutions, we are your one source for workzone products designed to meet a wide variety of application requirements. We set the standard for "Best-in-Class" with products like; TrailBoss[™], Plastx[™], Quadra Flex[™], Lamba[™], Pack N Pop[™], Bargard[™], TrailBlazer[™], Grip N Go[™], EZ-Grab[™], and Strato-Lite[™].

Processes – Investments in technology, equipment, and software allow us to control all aspects of the product cycle. Our ISO Certified, vertically integrated manufacturing facilities and state-of-the-art distribution center ensure products are made to exacting standards and delivered on time.

This catalog represents our current product offering and is intended as a resource guide in helping you identify and select the right solutions for your specific workzone. Put our nearly 50 years of experience to work for you.





DW SERIES TRAFFIC CONES

DW SERIES ORANGE Wide body design Injection molded PVC - black rugged base Meets NCHRP-350 Certification Meets MUTCD Standards Custom Imprinting Available ITEM # SIZE WT 03-500-09 12" 2 lbs 03-500-05 18" 3 lbs 03-500-07 28" 7 lbs 03-500-08 36" 10 lbs 03-500-18 28" 10 lbs 03-500-19 36" 12 lbs













DW SERIES TRAFFIC CONES













W SERIES TRAFFIC CONES























SPORT CONE WHITE



SPORT C	ONE B	BLUE
		A
 Injection Mole Special Color Stenciling Available 	s	
ITEM #	SIZE	WT
03-500-34B 03-500-39	5" 18"	.25 lb 2.25 lbs










PACK N POP[™] COLLAPSIBLE CONES





PACK N POP[™] COLLAPSIBLE CONES



PACK N POP ECONOMY COLLAPSIBLE CONE SINGLE PACK




PACK N POP ECONOMY COLLAPSIBLE CONE MULTI PACKS



CONE SIGNS


STANDARD & CUSTOM TEXT AVAILABLE





CONE ACCESSORIES

BARRICONE	CONE LIGHTS
CAUTION	
 Barricone Rail available in 4' and 6' lengths Plain or Caution with reflective <u>ITEM # DESCRIPTION</u> 03-550-BRCH4 4' Yellow Caution Reflective 03-550-BRP4 4' Yellow Plain 03-550-BRCR 6' Yellow Caution Reflective 03-550-BRP 6' Yellow Plain 	 360° LED Light Circuit Run on 6V Battery Steady flashing light Easy application - simply slide ring over top of cone Copolymer resin housing High impact resistant <u>ITEM # DESCRIPTION</u> 03-10-CLG Amber Cone Light 03-10-CLGR Red Cone Light





ROAD WORK AHEAD

ONE LANE ROAD

AHEAL

CRACK SEAL

ROLL-UP SIGN MATERIALS

- Cortina Roll-Up Signs are available in a variety of materials
- Meets MUTCD Standards
- NCHRP-350 Certified
- Fiberglass Ribsets are included and are ready for use
- Ribs are coated to prevent splinters and fraying
- Overlays available for changeable message signs
- 36" x 36" or 48" x 48" sizes

MATERIAL	ORANGE	PINK	WHITE	LIME	YELLOV
Mesh Non-reflective	\checkmark				
Vinyl Non-reflective	\checkmark				
Superbright Reflective	\checkmark		\checkmark		\checkmark
Superbright Fluorescent	\checkmark	\checkmark			
Marathon Fluorescent	\checkmark		\checkmark	\checkmark	
Diamond Grade Reflective	\checkmark		\checkmark		

ROLL-UP SIGN FEATURES

ROLL-UP SIGNS



Meets MUTCD Standards

- Fiberglass Ribsets are included and are ready for use
- Ribs are coated to prevent splinters and fraying
- Overlays available for changeable message signs
- 36" x 36" or 48" x 48" sizes

DESCRIPTION

Be Prepared To Stop Construction Ahead Detour Ahead Flagger Ahead Flagger Symbol Fresh Oil Men Working Men Working Symbol Merge Left Symbol Merge Right Merge Right Symbol Mowing Ahead One Lane Road Ahead **Right Lane Closed Ahead Right Shoulder Closed** Road Closed Ahead Road Construction Ahead Road Work Ahead Shoulder Work Ahead Signal Work Ahead Slow Survey Crew Survey Crew Ahead Trucks Entering Highway Utility Work Ahead Work Area Ahead Workers Ahead

CUSTOM LEGENDS AVAILABLE SEE PRICE LIST FOR ADDITIONAL LEGENDS

ROLL-UP SIGNS



75 CM X 75 CM / 29.5" X 29.5" or 90 CM X 90 CM / 36" X 36"

- Fiberglass Ribsets are included and are ready for use
- Ribs are coated to prevent splinters and fraying
- Overlays available for changeable message signs

	DESCRIPTION
75 CM X 75 CI	M / 29.5" X 29.5"
07-800-0123	Men at Work Symbol
07-800-0124	Arrow 45° Symbol
07-800-0135	Merge Left Symbol
07-800-0136	Yield Ahead Symbol
07-800-35103	Stop Light Symbol
07-800-35104	Man in Bucket Symbol
07-800-35106	Traffic Control Person Symbol
07-800-0137	Lentement Symbol
07-800-35101	Do Not Pass Symbol

90 CM × 90 CM / 36" × 36" 07-800-3026-L Men at Work Symbol 07-800-3028-L Construction Ahead 07-800-3044-L Merge Right Symbol 07-800-3045-L Merge Left Symbol 07-800-3051-L Traffic Control Person Symbol 07-800-3060-L Arrow 45° Symbol 07-800-3058-L Yield Ahead Symbol 07-800-30510-L Emergency Scene Ahead

07-800-3000-C-L Do Not Pass Symbol

ROLL-UP SIGNS

ITEM# 07-800-3057L


DESCRIPTION

 07-800-3057L
 90 Cm x 120 CM / 36" x 48" Road Closed


 07-800-3056-L
 36" x 48" Yield Pictogram on Oncoming Traffic

 07-800-35102
 60 CM x 75 CM / 24" x 30 "Ligne D'Arrêt





QUADRA FLEX[™] EMERGENCY RESPONSE SYSTEM




SIGN STANDS & SIGN HOLDERS


QUADRA FLEX™ VI DUAL SPRING SIGN STANDS



- Aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps
- Steel base and spring components specially coated to withstand 500 hours of salt spray
- Designed to withstand strong wind gusts
- Adjustable legs for stability on curbs or uneven terrain
- Kick-release legs simplify set-up
- One person deployment without tools
- Allows deployment of Roll-up and Rigid signs from 14" to 6' from ground surface
- Dual-spring base with strong initial tension resists twisting and turning of sign in high wind gusts


ITEM #	DESCRIPTION
07-801-1	Holds 36" or 48" Sign 14" off the ground
07-805-1	Holds 36" or 48" sign 5' off the ground
07-809	Rigid brackets convert QF VI to hold rigid signs
07-824-2	QF VR holds rigid signs 3' off the ground






SIGN STANDS & SIGN HOLDEF

QUADRA FLEX™ ACCESSORIES



VEHICLE MOUNT HITCH ADAPTER FOR ROLL UP SIGNS





- Sign deploys quickly and safely
- Can be rotated 45° in either direction, telescoping upright, release button for easy dismantling
- Provides effective communication to upstream vehicles
- Communicates direction of the transition

ITEM # 07-826

Vehicle Mount Bracket Hitch

DESCRIPTION

VEHICLE MOUNT SIGN HOLDER • Another level of protection to your advance warning signage and traffic incident management Mounts easily to grab bar, enhances safe positioning, increases conspicuity and visibility MERGE Sign deploys quickly and safely Stores in place, ready for immediate release ITEM # DESCRIPTION 07-827 Vehicle Sign Holder ECONO TRIPOD & T-STAND




STOP SLOW SIGNS

SLOW

AD

STOP SLOW SIGNS

STOP/SLOW PADDLES



 Extremely d 	lurable recycled	rubber will not warp,	crack, or rot
---------------------------------	------------------	-----------------------	---------------

- Resistant to oil, UV and moisture
- Stands up in wide temperature extremes
- Painted yellow reflective stripes

ITEM #	DESCRIPTION
03-822	24" EGR Sheeting
03-822P	24" EGR Sheeting w 81" Plastic Handle
03-823	24" HI Sheeting
03-823P	24" HI Sheeting w 81" Plastic Handle
03-826	24" Diamond Grade
03-826P	24" Diamond Grade w 81" Plastic Handle
03-827	24" Silk Screened
03-827P	24" Silk Screened w 81" Plastic Handle
03-835	18" EGR Sheeting
03-836	18" HI Sheeting
03-837	18" Diamond Grade Sheeting
03-838	18" Silk Screened
03-851	18" Silk Screened w 9" Polygrip Handle
03-852	18" EGR Sheeting w 9" Polygrip Handle
03-853	18" HI Sheeting w 9" Polygrip Handle
03-854	18" Silk Screened w 9" Polygrip Handle
03-855	18" EGR w 9" Polygrip Handle
03-856	18" HI Sheeting w 9" Polygrip Handle
03-858ON	18" Paddle Stop/Slow Plastic DG Sheeting - Ontario

HANDLES AND COMPONENTS

9" Polygrip Handle Only
Heavy Duty Plastic Handle - 81"
18" Stop/ Slow Paddle Blank
24" Stop/Slow Paddle Blank
24" Stop/Slow Paddle Blank - Black
Bolt Kit for Paddle

QUICK DEPLOY STOP SIGN

Quick set up and easy to use

• Effective traffic control system designed for use in industrial plants, 4-way intersections,

- parking lots, schools, airports, hospitals, and places where stop light is inoperable due to natural disasters, etc Highly visible
- Kit includes 1 white delineator post, 1 15 lb recycled rubber base, and 2 18" ABS STOP signs

ITEM #	DESCRIPTION
03-747QD	Non-reflective
03-747QDHI15	18" High Intensity Reflective
03-747QDDG15	18" Fluorescent Orange Prismatic
Bases Also Sold S	Separately
03-730	Rubber Base 10 lb
03-731	Rubber Base 15 lb



TOP / SLOW SIGNS

LED STOP/SLOW PADDLES



Meets/exce	eds all DOT FMVSS125 Requirements
ITEM #	DESCRIPTION

	DESCRIPTION
03-816	12" Stop/Stop w 6" paddle handle
03-817	12" Stop/Stop w 6" paddle handle (Canada)
03-818	18" Stop/Stop w 6" paddle handle
03-819	18" Stop/Slow w 6" paddle handle

NON REFLECTIVE HAND HELD ABS PADDLE WITH HANDLE



Meets MUTCD Requirements

- Available non reflective silk screened or reflective Engineer Grade, HI-Intensity, or Diamond Grade sheeting
- Ideal for school crossing guards, flaggers, and plant security guards

Heavy duty ABS

ITEM # DESCRIPTION

18" Stop/Slow Silk Screened with Polygrip Handle 03-851 03-835 18" Stop/Slow EGR Sheeting with Polygrip Handle 03-836 8" Stop/Slow HI Sheeting with Polygrip Handle 03-837SW 18" Stop/Slow Diamond Grade Sheeting with Polygrip Handle 03-838SW 18" Stop/Slow Silk-Screened with Polygrip Handle

ALUMINUM PADDLES WITH HANDLE



Meets MUTCD Requirements

- Available non reflective silk screened or reflective Engineer Grade, HI-Intensity, or Diamond Grade sheeting
- Ideal for school crossing guards, flaggers, and plant security guards
- ITEM # DESCRIPTION
- 03-850 9" Polygrip Handle only for Stop/Slow Paddle
- 03-830 18" Stop/Slow with 9" Polygrip Handle
- 18" Stop/Stop with 9" Polygrip Handle 03-831
- 15" Stop/Stop, Silk Screened, with 9" Polygrip Handle 03-851-1
- 18" Stop/Slow with Aluminum Handle 03-863
- 18" Stop/Slow with Wood Handle 03-864

ELECTRONIC SAFETY BATONS



Pulsating high intensity LED lights

- Water and impact resistant construction
- Battery Operated

03-301

03-303

ITEM # DESCRIPTION 03-300

12" C-Cell Steady On / Slow Flash / Fast Flash 9" C-Cell Steady On / Fast Flash 12" D-Cell Steady On / Fast Flash16

FLAGS - BANNERS - WINDSOCKS












WINDSO	CK
 International C UV Inhibitors Double stitche Weather proof applications 	-
	stant aluminum frame
Corrosion resis ITEM #	DESCRIPTION
Corrosion resist <u>ITEM #</u> 03-WS-3	DESCRIPTION 3' Windsock Only
 Corrosion resist ITEM # 03-WS-3 03-WS-FO-3 	DESCRIPTION 3' Windsock Only 3' Frame Only
Corrosion resist <u>ITEM #</u> 03-WS-3	DESCRIPTION 3' Windsock Only 3' Frame Only 3' w 10" Opening
 Corrosion resi ITEM # 03-WS-3 03-WS-FO-3 03-WS-3KT 	DESCRIPTION 3' Windsock Only 3' Frame Only
Corrosion resist TEM # 03-WS-3 03-WS-FO-3 03-WS-3KT 03-WS-4 03-WS-4 03-WS-4 03-WS-8	DESCRIPTION 3' Windsock Only 3' Frame Only 3' w 10" Opening 4' w 18" Opening 4' w 18" Opening 8' w 18" Opening
 Corrosion resist ITEM # 03-WS-3 03-WS-70-3 03-WS-3KT 03-WS-4 03-WS-4 03-WS-4KT 	DESCRIPTION 3' Windsock Only 3' Frame Only 3' w 10" Opening 4' w 18" Opening 4' w 18" Opening

SEE PRICE LIST FOR ADDITIONAL OPTIONS

BARRICADES


PLASTX[™] BARRICADES






M-CADE BARRICADES

M-CADE TYPE I	M-CADE TYPE II
 NCHRP-350 Certified Meets MUTCD Specifications 12" x 24" top sheeted panel 8" x 24" panel / 6" sand bar Folds flat for easy nesting and stacking Unique knuckle lock prevents sag in the field Injection molded with high impact resin Rugged heavy duty design to provide maximum use TEM# DESCRIPTION 97-11-001-11 12T/8B Prismatic Fluorescent Orange w Directional Arrow 97-11-001-44 44" EGR 97-11-001-45 44" HIP	 NCHRP-350 Certified Meets MUTCD Specifications 8" x 24" top sheeted panels / 6" sand bar Folds flat for easy nesting and stacking Unique knuckle lock prevents sag in the field Injection molded with high impact resin Rugged heavy duty design to provide maximum use IEM # DESCRIPTION 97-11-002-11 8/8 Prismatic Fluorescent Orange w Directional Arrow 97-11-003-11 12T/8B Prismatic Fluorescent Orange w Directional Arrow 97-11-003-14 12T/8B EGR 97-11-003-45 12T/8B HIP

















ROLLED GOODS




BARRICADE TAPE		
 Available Engineer Grade or HI Intensity Prismatic 		
TEM # 03-10-008-04-1 03-10-008-05-1 03-10-008-06-1 03-10-008-07-1 03-10-008-19-1 03-10-008-20-1 03-10-008-20-1 03-10-008-38-1 03-10-008-39-1	BESCRIPTION 8" x 50 Yards Left Stripe HI 12" x 50 Yards Right Stripe HI 12" x 50 Yards Right Stripe HI 12" x 50 Yards Right Stripe EGR 8" x 50 Yards Left Stripe EGR 12" x 50 Yards Left Stripe EGR 12" x 50 Yards Left Stripe EGR 12" x 50 Yards Left Stripe EGR 6" x 50 Yards Right Stripe EGR	









PLASTX[™] BARRIERS

ALC: 38

E

THE

144.3677


FOREST BOOTERY

PLASTX[™] BARRIERS


P-CADE PEDESTRIAN BARRICADE KIT

	 ADA Compliant to MUTCD Quick, easy set-up for any environment Injection molded legs using high impact resin Plank Boards extruded EXTERIOR GRADE PVC - superior to Polyethylene Kit includes two legs and boards
	ITEM# DESCRIPTION 97-01-004-011G (2) P-Cade Legs (1) 2"x8"x6' EG 1 sided T-Board 97-01-004-012G (2) P-Cade Legs (2) 2"x8"x6' EG 1 sided T-Boards 97-01-004-013G (2) P-Cade Legs (1) 2"x8"x8' EG 1 sided T-Board
	97-01-004-014G (2) P-Cade Legs (2) 2"x8"x8' EG 1 sided T-Boards

A FRAME BARRICADE KITS




P-CADE BARRIER SYSTEM STARTER KIT



- ●P-Cade[™] meets ADA Guidelines to MUTCD Standards
- Total versatility. Modular system allows for complete flexibility, use in a straight line or around man holes and work zones
- Provides a continuous, obstruction free guidance system through workzones, lower rail will not trap canes
- Easy to assemble no hardware or tools required
- Quick set-up and tear down
- Accepts all barricade lights











TELESPAR TYPE III BARRICADES

TELESPAR TYPE III BARRICADES




NCHRP-350 Certified

- Meets MUTCD Standards
- Galvanized steel tubing for superior corrosion protection
- Uprights and feet are 14 gauge, hot rolled carbon steel
- Angle iron feet, mill finish
- Universal mounting holes pre-punched 7/16"
- Square shape provides superior wind load capabilities and inhibits warping
- Reflective Engineer or HI-Intensity Prismatic Sheeting on one or both sides
- Quick removal of uprights from feet
- Short term or permanent placement
- Easy to assemble
- Accepts 2 flashing lights
- SEE PRICE LIST FOR COMPLETE OFFERING

ITEM #	DESCRIPTION
97-1700-6EG	6' Boards, 1 Side EGR
97-1700-6HIP	6' Boards, 1 Side HIP
97-1700-8EG	8' Board, 1 Side EGR
97-1700-8HIP	8' Board. 1 Side HIP




BARRICADE LIGHTS









TrailBOSS™

TrailBOSS[™] / TrailGUIDE BASE

TrailBOSS CHANNELIZER DRUM HDPE



- HDPE
- Three base options
- Available Plain or with Engineer Grade, Diamond Grade, HI-Intensity, and Prismatic sheeting
- Meets US Standards ITEM #

ITEM #	DESCRIPTION
03-780	Plain
03-780-4EGG	Engineer Grade 4" Stripes, OWOW
03-780-6EGG	Engineer Grade 6" Stripes, OWOW
03-780-4HIG	HI-Intensity Prismatic 4" Stripes
03-780-6HIG	HI-Intensity Prismatic 6" Stripes
03-780-4FP3M	Diamond Grade 4" Stripes
03-780-6FP3M	Diamond Grade 6" Stripes

TrailBOSS CHANNELIZER DRUM LDPE




Three base options

• Available Plain or with Engineer Grade, Diamond Grade, HI-Intensity, and Prismatic sheeting Meets US Standards


ITEM #
03-782
03-782-4EG
03-782-6EG
03-782-4HI
03-782-6HI
03-782-4FP3M
03-782-6FP3M

DESCRIPTION

Plain 4" Engineer Grade 4" Stripes, OWOW 6" Diamond Grade 6" Stripes, OWOW 4" HI-Intensity Prismatic Stripes 6" HI-Intensity Prismatic Stripes 4" Diamond Grade Stripes 6" Diamond Grade Stripes



TrailBOSS™ / TrailGUIDE BASES







GRIP N GO[™] CHANNELIZERS

GRIP N GO ORANGE



Meets MUTCD Standards & N	ICHRP-350 Certified
---------------------------	---------------------

- High Visibility Orange
- Molded Hi-Density Polyethylene with UV Color Stabilization
- 49.8" Overall Height, 42" Conical Height, and 7.56" Conical Width at Base

ITEM #	DESCRIPTION
03-750	Plain
03-750-4EGG	4 Ea EGR Stripes OWOW
03-750-4FP	4 Ea 4" DG Stripes OWOW
03-750-4HI	4 Ea 4" HI Stripes
03-750-6EG	4 Ea 6"EGR Stripes OWOW
03-750-6FP	4 Ea 6" DG Stripes WOWO
03-750-6HI	4 Ea 6" HI Stripes
03-750-6HIFP	4 Ea 6" HI Stripes
03-750-64HI	1 Ea 6" & 1 Ea 4" HI Stripes

EZ GRAB GRIP N GO CHANNELIZER CONES



•	NCHRF	-350	Certified

High Visibility

Molded Hi-Density Polyethylene with UV Color Stabilization

- 49.8" Overall Height, 42" Conical Height, and 7.56" Conical Width at Base
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM#	DESCRIPTION
03-750W	White -Plain
03-750Y	Safety Yellow - Plain
03-750B	Blue - Plain

GRIP N GO BASES Image: Constraint of the system o

TRAILBLAZER^M VERTICAL PANELS

STATE

STO

FOR

WITHIN CROSSWALK TRAILBLAZER[™] VERTICAL PANELS













STACKER ROUND-TOP CHANNELIZER CONES



STACKER ROUND-TOP CHANNELIZER CONES














DELINEATOR POSTS


lh!

T


EZ GRAB[™] DELINEATOR








EZ GRAB[™] DELINEATOR



TUBULAR MARKERS







LAMBA CONES - 25" WITH LEGENDS



LAMBA CONES - 36" WITH LEGENDS DESCRIPTION ITEM # • Available 36" heights imprinted with stock legends Yellow Wet Floor (Span/Eng) International languages 03-600-09 • 36" Cone dimensions: 12" base, 6" middle, 3-1/2 top 03-600-09L Lime Wet Floor (Span/Eng) Custom imprinting available SEE PRICE LIST FOR ADDITIONAL OPTIONS 03-600-10 Yellow Caution Slippery YE FLOO FLDD CAUTION

LAMBA	SAFETY	FLOOR	SIGN
-------	--------	-------	------

 LAMBA 2' X 4' Safety Floor Sign 6/packs Lock-in' Arm technology for easy set up and extra stability 4 sided caution messages display clear warnings from every ang 24" high sign folds quickly & easily for storage in spaces as narrow a Custom printing available SEE PRICE LIST FOR ADDITIONAL OPTIONS 		DESCRIPTION Plain Caution Wet Floor Wet Floor / Cuidada Piso Mojado
--	--	--

LAMBA CONES - PLAIN

	36" heights plain or imprinted with stock legends guages sions: 10" base, 4-3/4" middle, 3-1/4" top sions: 12" base, 6" middle, 3-1/2 topITEM # DESCRIPTION 03-600-12 03-600-00 036" Plain 03-600-36Cg availableITEM # DESCRIPTION 03-600-36COSCRIPTION 03-600-36C
--	---

BARRIER SYSTEMS

a a a a a a a a a a a a a a a a a a a	 Unique way to cordon off a Indoor and outdoor applica Portable and versatile Great alternative to a cone Components also sold seg 	system
	03-602-002-01-05 2 Pc 03-603-002-01-00 39.4 03-603-003-00-00 Base	CRIPTION sts Orange, 2 Bases, 2 Units Red / White Striped Tape " Tall Orange Post - twist locks into base e - Pour sand or water into base for extra strength and stability Orange with Red / White Striped Tape
ONE SYSTEMS	Linique way to cordon off	any area
ONE SYSTEMS	 Unique way to cordon off. Indoor and outdoor applic Portable and versatile Components also sold set 	ations
	 Indoor and outdoor applic Portable and versatile 	ations


03-602-004-01-06 03-602-004-01-07

03-602-004-01-08

2 Cones, 2 Units Orange Yellow / Black Tape

2 Cones, 2 Units Orange Red Danger Tape

2 Cones, 2 Units Orange Yellow Caution Tape



BARRIER SYSTEMS















PARKING AIDS

PARKING BLOCKS Maintenance free Extremely durable recycled rubber will not warp, crack, or rot Resistant to oil, UV rays and moisture • Stands up in wide temperature extremes Painted yellow reflective stripes DESCRIPTION ITEM # 4' Striped Yellow Rubber 2049PB 6' Striped Yellow Rubber 2050PB 2057PB 3' Striped Yellow Rubber 14" Painted Steel Spike 2053S













TEAR DF	ROP LIGHTS
22-56525	DESCRIPTION Amber Red Blue

PULSA	TOR LED
 LED techr No bulbs of Multi-volta 	Č, Class 2, Five-year
ITEM# 22-56530 22-56531	DESCRIPTION Amber Perm Mount Amber Magnet Mount



WARNING LIGHTS





WARNING KITS

LOAD

NVFR5IZE

100

WARNING KITS

219 EMERGENCY WARNING TRIANGLE KIT



319 EMERGENCY WARNING TRIANGLE KIT WITH HANDLE




• Triangle's wire form support guarantees tilt compliance of 40 mph wind test

- Opaque container protects fluorescent color from UV deterioration
- Unique living hinge box, wire support and tabs are available ONLY by Cortina
- Living hinge box ensures the lid will not separate from the box
- Weighted base ensures triangles will not move by wind gusts caused by passing traffic

ITEM # DESCRIPTION

95-02-002-03 Three (3) triangles in Plastic Box with Handle

FLEET EMERGENCY KIT



INDIVIDUAL REFLECTIVE TRIANGLE KIT



- Meets/exceeds all DOT FMVSS125 Requirements
- Triangle's wire form support guarantees tilt compliance of 40 mph wind test
- Opaque container protects fluorescent color from UV deterioration
- Unique living hinge box, wire support and tabs are available ONLY by Cortina
- Living hinge box ensures the lid will not separate from the box
- Weighted base ensures triangles will not move by wind gusts caused by passing traffic

ITEM # DESCRIPTION

95-02-001Single (1) triangle flare95-02-002-01Single (1) triangle in plastic box95-02-002-02Two (2) triangles in plastic box

FLARE KITS



FLARE HOLDERS

Designed to hold 20 or 30 minute fusees

Constructed from Heavy Duty Polypropylene
Easy Grab handle and no roll design

- Laby	Crab hanalo ana no ron dobign	

ITEM #	DESCRIPTION
95-07-003	Holder case 12/20 Minute
95-07-004	Holder case 12/30 Minute
95-07-005	Holder case w bracket 3/20 Minute & wire stand
95-07-006	Holder case w bracket 3/30 Minute
95-07-007	Holder case bracket w 3/30 Minute



FLARES


 Moisture re 	20 and 30 minute types sistant n-spike, or wire stand	JU.
ITEM # 95-07-20 95-07-21 95-07-22 95-07-30 95-07-31 95-07-32	DESCRIPTION 20 Min Spike Type 72/case 20 Min Flare w/o Spike 72/case 20 Min Flare w Wire Stand - 72/case 30 Min Flare Spike Type 36/case 30 Min Flare w/o Spike 36/case 30 Min Flare w Wire Stand - 36/case	

FLARE KITS	
	 Heavy Duty injection molded plastic boxes hold 4 or 12 minute fusees Moisture resistant Compact design for tight storage space - fits conveniently under most seats <u>ITEM # DESCRIPTION</u> 95-07-001 4 Flares 95-07-002 12 Flares and Safety Vest
MOTORIST FLARE KITS	
	 For automotive after market and heavy duty markets 6-Pack flare configuration Bright Orange safety vest for flare deployment Storage case with flare pockets and vest holder Double zipped 600 Denier Polyester bag keeps flares together Velcro on back of bag secures placement in trunk or under seat <u>ITEM # DESCRIPTION</u> 95-07-25G 20 Minute Flare
	95-07-35G 30 Minute Flare
MOTORIST SAFETY KIT	
	 Meets/exceeds all DOT FMVSS125 Requirements Triangle's wire form support guarantees tilt compliance of 40 mph wind test Weighted base ensures triangles will not move by wind gusts caused by passing traffic <u>ITEM # DESCRIPTION</u> 95-02-001 Single (1) Triangle Flare

WORKSITE PRODUCTS

WORKSITE PRODUCTS











PENNANTS	
	11
03-400-60 03-401-60 03-402-60 03-404-60 03-405-60 03-406	60 ['] Multi ['] 100' Red 100' Red/White 100' Orange 100' Multi 100' Orange/White 100' Yellow 105' Red- OSHA 105' Yellow - OSHA



FENCING









WWW.CORTINACO.COM

UNITED STATES 800.225.5206 WORKZONE@CORTINACO.COM

CANADA 866.757.1900 WORKZONECANADA@CORTINACO.COM

INTERNATIONAL 847.455.2800 WORKZONE@CORTINACO.COM / WORKZONECANADA@CORTINACO.COM

Products That Make The Worksone Safer

CAUTION

CUDADO

FLOOR

MDIADS

PISO

©2017 CORTINA SAFETY PRODUCTS GROUP