Safety Data Sheet



SECTION 1: Product and	company identification
Product name	: Citrus Whisk
Use of the substance/mixture	: Odorant
Product code	: 8046-Share
Company	: Share Corporation P.O. Box 245013
	Milwaukee, WI 53224 - USA
	T (414) 355-4000
Emergency number	 <u>sharecorp.com</u> For Chemical Emergency Call Chemtrec 24hr/day 7days/week: 1-800-424-9300
Emergency number	. Tor Chemical Energency Car Chemice 2411/day 70ays/week. 1-000-424-5500
SECTION 2: Hazards iden	tification
2.1. Classification of the s	ubstance or mixture
GHS-US classification	
Flam. Aerosol 1 H222 Press. Gas (Lig.) H280	
Eye Irrit. 2A H319	
Skin Sens. 1 H317	
STOT SE 3 H336	
STOT SE 3 H335	
2.2. Label elements	
GHS US labelling Hazard pictograms (GHS US)	
	GHS02 GHS04 GHS07
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: Extremely flammable aerosol
	Contains gas under pressure; may explode if heated
	May cause an allergic skin reaction Causes serious eye irritation
	May cause respiratory irritation
	May cause drowsiness or dizziness
Precautionary statements (GHS	Do not spray on an open flame or other ignition source.
	Pressurized container
	Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 122 °F (50 °C).
	Store in a well-ventilated place.
	Wear protective gloves, eye protection.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
	If eye irritation persists: Get medical advice or attention. Avoid breathing mist, spray, vapours.
	Contaminated work clothing must not be allowed out of the workplace.
	If on skin: Wash with plenty of water.
	If skin irritation or rash occurs: Get medical advice or attention.
	Take off contaminated clothing and wash it before reuse. Use only outdoors or in a well-ventilated area.
	If inhaled: Remove person to fresh air and keep comfortable for breathing.
	Call a poison center or doctor if you feel unwell.
	Dispose of contents and/or container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable.

Safety Data Sheet



SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable 3.2. Mixtures

NameProduct identifier%GHS-US classificationAcetone(CAS-No.) 67-64-160 - 80*Flam. Liq. 2, H225
Eye Irrit. 2A, H319
STOT SE 3, H336

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures	
4.1. Description of first aid measure	95
First-aid measures general	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	 Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Wash immediately with lots of water (15 minutes)/shower. Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Rinse immediately with plenty of water for 15 minutes. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/effects after inhalation	 Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation. May cause drowsiness or dizziness.
Symptoms/effects after eye contact	: Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measur	es
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	 Foam. Dry powder. Carbon dioxide. Water spray. Sand. Do not use a heavy water stream.
5.2. Special hazards arising from the	ne substance or mixture
Fire hazard Explosion hazard	 Extremely flammable aerosol. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
5.3. Advice for firefighters	
Firefighting instructions	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures					
6.1. Personal precautions, protect	.1. Personal precautions, protective equipment and emergency procedures				
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.				
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.				
6.1.2. For emergency responders					

Safety Data Sheet



	Protective equipment Emergency procedures	 Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Ventilate area.
--	--	---

6.2. **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up 6.3.

Methods for cleaning up

: Store away from other materials.

6.4. **Reference to other sections**

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and stor	age
7.1. Precautions for safe handlin	g
Additional hazards when processed Precautions for safe handling Hygiene measures	 Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage,	including any incompatibilities
Technical measures Storage conditions	 Proper grounding procedures to avoid static electricity should be followed. Keep only in the original container in a cool, well ventilated place away from : Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Keep container tightly closed.
Incompatible products Incompatible materials Storage area	 Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources. Store in a well-ventilated place.

: Store in a well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
Acetone (67-64-1)		
ACGIH	ACGIH OEL TWA	594 mg/m ³
ACGIH	ACGIH OEL TWA	250 ppm
ACGIH	ACGIH OEL STEL	1187 mg/m ³
ACGIH	ACGIH OEL STEL	500 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: URT & eye irr; CNS impair. Notations: A4 (Not
		classifiable as a Human Carcinogen); BEI
OSHA	OSHA PEL TWA	2400 mg/m ³
OSHA	OSHA PEL TWA	1000 ppm

8.2. **Exposure controls**

Personal protective equipment

: Gloves. Safety glasses. Avoid all unnecessary exposure.



Hand protection Eye protection Respiratory protection

Other information

Wear protective gloves. : ÷

- Chemical goggles or safety glasses.
- Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
- Do not eat, drink or smoke during use. :

SECTION 9: Physical and chemical properties				
9.1. Information on b	asic physical and chemical propert	ies		
Physical state Appearance Odour	: Gas : Clear to lig : Ocean bre			
Issue date: 4/25/2025	Revision date: 06/22/2023	Version: 1.0	Z US GHS SDS 24 SC	Page 3 of 6

Safety Data Sheet

Odour threshold	:	No data available
рН	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	< 100 °F
Relative evaporation rate (butylacetate=1)	:	> 3
Flammability	:	No data available
Explosive limits	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Vapour pressure	:	< 180 mm Hg @ 70°F
Relative density	:	0.78 – 0.8 H2O=1
Relative vapour density at 20°C	:	No data available
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Partition coefficient n-octanol/water (Log Kow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
VOC content	:	24 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological informat	ion			
11.1. Information on toxicological effects				
Acute toxicity	: Not classif	ied		
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity		erious eye irritation. e an allergic skin reaction. ied		
Reproductive toxicity STOT-single exposure	: Not classif : May cause	ied e drowsiness or dizziness. May	cause respiratory irritation.	
STOT-repeated exposure	: Not classif	ïed		
Aspiration hazard Potential adverse human health effects and symptoms Symptoms/effects after inhalation	: Shortness cause dro	available data, the classification of breath. May cause an allerg wsiness or dizziness.	n criteria are not met. jic skin reaction. May cause respiratory irr	itation. May
Symptoms/effects after eye contact	: Causes se	erious eye irritation.		
Issue date: 4/25/2025 Revision date	06/22/2023	Version: 1.0	Z_US GHS SDS 24_SC	Page 4 of 6



Safety Data Sheet



2.1 Toxicity	
2.1. Toxicity lo additional information available	
2.2. Persistence and degradability	
Citrus Whisk Persistence and degradability	Not established.
	Not established.
2.3. Bioaccumulative potential	
Citrus Whisk	
Bioaccumulative potential	Not established.
ECTION 13: Disposal considerati	ons
3.1. Waste treatment methods	
Product/Packaging disposal	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. I
recommendations	not drill or burn even after use. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Flammable vapours may accumulate in the container.
Ecological waste information	: Avoid release to the environment.
ECTION 14: Transport informatio	n
epartment of Transportation (DOT)	
Transport document description (DOT) UN-No. (DOT)	: UN1950 Aerosols flammable (each not exceeding 1 L capacity), 2.1 : UN1950
Proper Shipping Name (DOT)	: Aerosols
	flammable (each not exceeding 1 L capacity)
Class (DOT) Hazard labels (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 : 2.1 - Flammable gas
	PLANABLE GAS
DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR	: N82 : 306
173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A
DOT Vessel Stowage Other	: 25 - Protected from sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
dditional information	
Emergency Response Guide (ERG) Number	: 126
Other information	: No supplementary information available.
DR	
o additional information available	
ransport by sea lo additional information available	

Version: 1.0

Safety Data Sheet



SECTION 15: Regulatory information

15.1. US Federal regulations


All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Acetone (67-64-1)	
CERCLA RQ	5000 lb
1	·

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information			
Other information	:	None.	
NFPA health hazard	:	1 - Materials that, under emergency conditions, can cause significant irritation.	
NFPA fire hazard	:	3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.	3
NFPA reactivity	:	0 - Material that in themselves are normally stable, even under fire conditions.	



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.