Safety Data Sheet



SECTION 1: Product and company identification

Product name : Cucumber Flurry

Use of the substance/mixture : Odorant

Product code : 8047-Share
Company : Share Corporation
P.O. Box 245013

Milwaukee, WI 53224 - USA

T (414) 355-4000 sharecorp.com

Emergency number : For Chemical Emergency Call Chemtrec 24hr/day 7days/week: 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Aerosol 1 H222
Press. Gas (Comp.) H280
Eye Irrit. 2B H320
STOT SE 3 H336

2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)







GHS07

GHS02 GHS04

Signal word (GHS US) : Danger Hazard statements (GHS US) : Extreme

: Extremely flammable aerosol

Contains gas under pressure; may explode if heated

Causes eye irritation

May cause respiratory irritation May cause drowsiness or dizziness

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container

Do not pierce or burn, even after use.

Protect from sunlight. Do not expose to temperatures exceeding 122 °F (50 °C).

Store in a well-ventilated place. Wash hands thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

If eye irritation persists: Get medical advice or attention.

Avoid breathing mist, vapours, spray.

Use only outdoors or in a well-ventilated area.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER, a doctor if you feel unwell.

Dispose of contents and container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification

4/25/2025 Revision date: 02/22/2023 Version: 1.0 Z_US GHS SDS 24_SC Page 1 of 6

Safety Data Sheet



Acetone	(CAS-No.) 67-64-1	60 - 80*	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			STOT SE 3, H336

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general

First-aid measures after inhalation

First-aid measures after skin contact

First-aid measures after eye contact

First-aid measures after ingestion

Call a poison center or a doctor if you feel unwell.

Remove person to fresh air and keep comfortable for breathing.

Wash skin with plenty of water. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

Symptoms/effects after inhalation

Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion

May cause drowsiness or dizziness. None under normal conditions.

None under normal conditions. Contact with the liquefied gas may cause frostbite.

mild eye irritation.

None under normal conditions.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Suitable extinguishing media Water spray. Dry powder. Foam. Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Extremely flammable aerosol. Fire hazard No direct explosion hazard. Explosion hazard Reactivity Extremely flammable aerosol.

5.3. Advice for firefighters

Firefighting instructions

: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting

Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment

Wear recommended personal protective equipment.

Emergency procedures Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment

Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. **Environmental precautions**

Avoid release to the environment.

Methods and material for containment and cleaning up 6.3.

For containment : Stop leak without risks if possible.

4/25/2025 Revision date: 02/22/2023 Version: 1.0 Z US GHS SDS 24 SC Page 2 of 6

Safety Data Sheet



Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact

with skin and eyes. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50 °C/

122 °F. Store locked up. Keep container tightly closed.

Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Acetone (67-64-1)				
ACGIH	ACGIH OEL TWA	594 mg/m³		
ACGIH	ACGIH OEL TWA	250 ppm		
ACGIH	ACGIH OEL STEL	1187 mg/m³		
ACGIH	ACGIH OEL STEL	500 ppm		
ACGIH	Remark (ACGIH)	TLV® Basis: URT & eye irr; CNS impair. Notations: A4 (Not		
		classifiable as a Human Carcinogen); BEI		
OSHA	OSHA PEL TWA	2400 mg/m³		
OSHA	OSHA PEL TWA	1000 ppm		

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure. Gloves. Safety glasses.





Hand protection : Protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : No additional information available

Odour

Relative evaporation rate (butylacetate=1) : No data available Flammability : No data available Explosive limits : No data available

4/25/2025 Revision date: 02/22/2023 Version: 1.0 Z_US GHS SDS 24_SC Page 3 of 6

Safety Data Sheet



Explosive properties No data available Oxidising properties No data available No data available Vapour pressure Relative density No data available Relative vapour density at 20°C No data available Solubility No data available No data available Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Kow) No data available No data available Auto-ignition temperature Decomposition temperature No data available No data available Viscosity Viscosity, kinematic No data available No data available Viscosity, dynamic VOC content 24 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: Not classified

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Causes eye irritation.
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : Not applicable

Symptoms/effects after inhalation : None under normal conditions.

Symptoms/effects after skin contact : None under normal conditions. Contact with the liquefied gas may cause frostbite.

Symptoms/effects after eye contact : mild eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available

4/25/2025 Revision date: 02/22/2023 Version: 1.0 Z US GHS SDS 24 SC Page 4 of 6

Safety Data Sheet



12.3. Bioaccumulative potential

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal : Disposal must be done according to official regulations.

recommendations
Additional information : Do not re-use empty containers.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description (DOT) : UN1950 Aerosols flammable (each not exceeding 1 L capacity), 2.1

UN-No. (DOT) : UN1950

Proper Shipping Name (DOT) : Aerosols

flammable (each not exceeding 1 L capacity)
Class (DOT)
: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

: 150 kg

Hazard labels (DOT) : 2.1 - Flammable gas



DOT Special Provisions (49 CFR 172.102) : N82 DOT Packaging Exceptions (49 CFR : 306

173.xxx)

DOT Quantity Limitations Passenger : 75 kg

aircraft/rail (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft

only (49 CFR 175.75)

DOT Vessel Stowage Location

DOT Vessel Stowage Other : 25 - Protected from sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division

14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Additional information

Emergency Response Guide (ERG) : 126

Number

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Acetone (67-64-1)			
CERCLA RQ	5000 lb		

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

4/25/2025 Revision date: 02/22/2023 Version: 1.0 Z_US GHS SDS 24_SC Page 5 of 6

Safety Data Sheet



SECTION 16: Other information

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited

under almost all ambient temperature conditions.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

4/25/2025 Revision date: 02/22/2023 Version: 1.0 Z_US GHS SDS 24_SC Page 6 of 6