Safety Data Sheet



SECTION 1: Product and company identification

Product name : Germicidal Disinfectant II

Use of the substance/mixture : Aerosol Disinfectant
Product code : 842501

Company : Share Corporation P.O. Box 245013

Milwaukee, WI 53224 - USA

T (414) 355-4000 sharecorp.com

Emergency number : For Chemical Emergency Call Chemtrec 24hr/day 7days/week: 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Aerosol 2 H223
Press. Gas (Liq.) H280
Eye Irrit. 2A H319
STOT SE 3 H336
STOT SE 3 H335

2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)







GHS02 GHS04 GHS07

Signal word (GHS US) : Warning

Hazard statements (GHS US) : Flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use. Avoid breathing fume, spray, vapours, gas. Wash thoroughly after handling

Use only outdoors or in a well-ventilated area.

Wear eye protection.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Call a poison center or doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Store in a well-ventilated place.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Issue date: 11/11/2024 Revision date: 10/29/2024 Version: 2.0 Z US GHS SDS 24 Page 1 of 7

Safety Data Sheet



•	•		B A	е.,	- 4	re	_
).Z						

Name	Product identifier	%	GHS-US classification
Ethanol	(CAS-No.) 64-17-5	40 – 70	Flam. Liq. 2, H225
			Carc. 1A, H350
Petroleum Gases, Liquefied, Sweetened	(CAS-No.) 68476-86-8	10 – 30	Flam. Gas 1, H220
			Press. Gas (Comp.), H280
			Muta. 1B, H340
			Carc. 1A, H350

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you

feel unwell.

First-aid measures after skin contact

: Wash skin with plenty of water.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

May cause drowsiness or dizziness.

Symptoms/effects after inhalation Symptoms/effects after skin contact May cause respiratory irritation.

None under normal conditions. Contact with the liquefied gas may cause frostbite.

Symptoms/effects after eye contact

: Eye irritation.

Symptoms/effects after ingestion

: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard Explosion hazard Flammable aerosol.

: No direct explosion hazard.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport. Flammable aerosol.

5.3. Advice for firefighters

Firefighting instructions

: Fight fire from safe distance and protected location. Do not enter fire area without proper protective

equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment

: Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

lssue date: 11/11/2024 Revision date: 10/29/2024 Version: 2.0 Z US GHS SDS 24 Page 2 of 7

Safety Data Sheet



6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact

with skin and eyes. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50 °C/

122 °F. Store locked up. Keep container tightly closed.

Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Petroleum Gases, Liquefied, Sweetened (68476-86-8)

Not applicable

Ethanol (64-17-5)			
ACGIH	ACGIH OEL STEL	1000 ppm	
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal	
		Carcinogen with Unknown Relevance to Humans)	
OSHA	OSHA PEL TWA	1900 mg/m³	
OSHA	OSHA PEL TWA	1000 ppm	

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station. Personal protective equipment : Gloves. Safety glasses. Protective clothing.







Hand protection : Protective gloves. Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Clear, colorless liquid
Odour : Citrus scent
Odour threshold : No data available

pH : 6.9 - 7.7

Issue date: 11/11/2024 Revision date: 10/29/2024 Version: 2.0 Z_US GHS SDS 24 Page 3 of 7

Safety Data Sheet



Melting point : No data available Freezing point : No data available Boiling point : > 170 °F

Boiling point : > 170 °l Flash point : 110 °F

Relative evaporation rate (butylacetate=1) No data available Flammability No data available No data available Explosive limits Explosive properties No data available Oxidising properties No data available Vapour pressure No data available Relative density No data available Relative vapour density at 20°C No data available 0.86 - 0.89 g/ml @ 25°C Density Solubility No data available Partition coefficient n-octanol/water (Log Pow) No data available Partition coefficient n-octanol/water (Log Kow) No data available

Partition coefficient n-octanol/water (Log Pow)
Partition coefficient n-octanol/water (Log Kow)
Partition coefficient n-octanol/water (Log Kow)
Partition coefficient n-octanol/water (Log Kow)
No data available
No data available
No data available
No data available
Viscosity, kinematic
No data available
Viscosity, dynamic
No data available

VOC content : 69 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Flammable aerosol.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Ethanol (64-17-5)		
LD50 oral rat	10470 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value,	
	Oral, 14 day(s))	
LD50 dermal rabbit	> 15800 mg/kg bodyweight (Rabbit, Experimental value, Dermal)	
LC50 Inhalation - Rat	124.7 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value,	
	Inhalation (vapours), 14 day(s))	
ATE CLP (oral)	10470 mg/kg bodyweight	

Skin corrosion/irritation : Not classified pH: 6.9 – 7.7

Serious eye damage/irritation : Causes serious eye irritation.

pH: 6.9 – 7.7
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified.
Carcinogenicity : Not classified.

Ethanol (64-17-5)

Issue date: 11/11/2024 Revision date: 10/29/2024 Version: 2.0 Z_US GHS SDS 24 Page 4 of 7

Safety Data Sheet



IARC group	1 - Carcinogenic to humans
Deproductive toxicity	. Not alongified

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness. May cause respiratory irritation.

STOT-repeated exposure : Not classified

Ethanol (64-17-5)		
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100	
	(90-Day Oral Toxicity in Rodents)	
NOAEL (subchronic, oral, animal/female, 90	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100	
days)	(90-Day Oral Toxicity in Rodents)	

Aspiration hazard : Not applicable

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : None under normal conditions. Contact with the liquefied gas may cause frostbite.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment

	Checks in the chiviloniment.
Ethanol (64-17-5)	
LC50 - Fish [1]	15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water,
	Experimental value, Lethal)
ErC50 algae	275 mg/l Source: ECHA
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'

12.2. Persistence and degradability

,		
Ethanol (64-17-5)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance	
ThOD	2.1 g O ₂ /g substance	

12.3. Bioaccumulative potential

Ethanol (64-17-5) Partition coefficient n-octanol/water (Log Pow)			
		-0.35 (Experimental value, Equivalent or similar to OECD 107, 24 °C)	
	Bioaccumulative potential	Not bioaccumulative.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal : Disposal must be done according to official regulations.

recommendations
Additional information : Do not re-use empty containers.

SECTION 14: Transport information

Department of Transportation (DOT)

Class (DOT)

Transport document description (DOT) : UN1950 Aerosols flammable, (each not exceeding 1 L capacity), 2.1

UN-No.(DOT) : UN1950
Proper Shipping Name (DOT) : Aerosols

flammable, (each not exceeding 1 L capacity) 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

lssue date: 11/11/2024 Revision date: 10/29/2024 Version: 2.0 Z US GHS SDS 24 Page 5 of 7

Safety Data Sheet



Hazard labels (DOT) : 2.1 - Flammable gas



DOT Packaging Non Bulk (49 CFR 173.xxx) : None DOT Packaging Bulk (49 CFR 173.xxx) : None DOT Special Provisions (49 CFR 172.102) : N82 DOT Packaging Exceptions (49 CFR : 306

173.xxx)

DOT Quantity Limitations Passenger : 75 kg

aircraft/rail (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft : 150 kg

only (49 CFR 175.75) DOT Vessel Stowage Location

DOT Vessel Stowage Other : 25 - Protected from sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division

14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Additional information

Emergency Response Guide (ERG)

Number

Other information : No supplementary information available.

: 126

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

FIFRA Labelling

EPA Registration Number 44446-81

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

FIFRA Signal Word Warning

MARNING

This product can expose you to 2-phenylphenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited

under almost all ambient temperature conditions.

NFPA reactivity : 1 - Materials that in themselves are normally stable but can become unstable at

elevated temperatures and pressures.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Issue date: 11/11/2024 Revision date: 10/29/2024 Version: 2.0 Z_US GHS SDS 24 Page 6 of 7

Safety Data Sheet



Issue date: 11/11/2024 Revision date: 10/29/2024 Version: 2.0 Z_US GHS SDS 24 Page 7 of 7