Pulse Mango Bay Safety Data Sheet



Draduat name	nd company identification
Product name Use of the substance/mixtu	: Pulse Mango Bay : Aerosol
	Odorant
Product code	: 8618-Share
Company	: Share Corporation
	P.O. Box 245013
	Milwaukee, WI 53224 - USA T (414) 355-4000
	sharecorp.com
Emergency number	: Chemtrec: (800) 424-9300
SECTION 2: Hazards	lentification
2.1. Classification of t	e substance or mixture
GHS-US classification	
	222 280
	319
	336
.2. Label elements	
GHS US labelling	
Hazard pictograms (GHS U	
	$\mathbf{\underline{O}}$
	GHS02 GHS04 GHS07
Signal word (GHS US)	: Danger
Hazard statements (GHS U	s) : Extremely flammable aerosol.
	Contains gas under pressure; may explode if heated.
Precautionary statements (Causes serious eye irritation. HS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoki
Precautionary statements (Do not spray on an open flame or other ignition source.
	Do not pierce or burn, even after use.
	Avoid breathing mist, vapours.
	Wash thoroughly after handling
	Use only outdoors or in a well-ventilated area. Wear eye protection, face protection.
	Woar eye protocion, race protocion.
.3. Other hazards	

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

lame	Product identifier	%	GHS-US classification
cetone	(CAS-No.) 67-64-1	75 – 80	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			STOT SE 3, H336
Propane	(CAS-No.) 74-98-6	10 – 20	Flam. Gas 1, H220
			Press. Gas (Comp.), H280
Butane	(CAS-No.) 106-97-8	10 - 20	Flam. Gas 1, H220
			Press. Gas (Comp.), H280

Safety Data Sheet



Proprietary Fragrance Mixture	(CAS-No.) Proprietary	3-7	Not classified

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures	
4.1. Description of first aid measured	res
First-aid measures general	: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. show this sheet where possible.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash with water and soap. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	 Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell. Rinse mouth.
4.2. Most important symptoms and	d effects, both acute and delayed
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 Causes serious eye irritation. May cause drowsiness or dizziness. May cause drowsiness or dizziness. Contact during a long period may cause light irritation. Causes serious eye irritation. Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

SECTION 5: Firefighting measu	res
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	 Alcohol-resistant foam. Dry powder. Carbon dioxide. Water fog. Do not use a water jet since it may cause the fire to spread.
5.2. Special hazards arising from t	he substance or mixture
Fire hazard	: Extremely flammable aerosol. Under fire conditions closed containers may rupture or explode. Combustion produces irritating gases.
Explosion hazard	: Contents under pressure. Pressurised container: May burst if heated.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Advice for firefighters	
Firefighting instructions	: Exercise caution when fighting any chemical fire. Move containers away from the fire area if this can be done without risk. Use water spray or fog for cooling exposed containers. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release	emeasures
6.1. Personal precautions, protect	tive equipment and emergency procedures
General measures	: Stay upwind/keep distance from source. Evacuate unnecessary personnel. Vapours may travel long distances along ground before igniting/flashing back to vapour source.
6.1.1. For non-emergency personnel	
Protective equipment	 Do not enter without an appropriate protective equipment. Advise local authorities if considered necessary. Do not touch spilled material. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).
Emergency procedures	: Do not breathe gas. Evacuate unnecessary personnel. Keep upwind. Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.
C.O. Environmental massautiens	

6.2. Environmental precautions

Avoid release to the environment. Advise local authorities if considered necessary. Stop leak if safe to do so. Do not contaminate water with the product or its container. Prevent entry to sewers and public waters. Do not allow to enter drains or water courses.

Safety Data Sheet



6.3. Methods and material for conta	ainment and cleaning up
For containment Methods for cleaning up	 Eliminate every possible source of ignition. Prevent the product from entering drains or confined areas. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Vapours are heavier than air and may spread along floors. Stop leak if safe to do so. Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid. Isolate area until gas has dispersed. Collect spillage. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water.
6.4. Reference to other sections	

No additional information available

SECTION 7: Handling and storage	3
7.1. Precautions for safe handling	
Additional hazards when processed	: Do not use if spray button is missing or defective. Do not pierce or burn, even after use. Keep away from heat, sparks and flame.
Precautions for safe handling Hygiene measures	 Avoid prolonged and repeated contact with skin. Intentional misuse by deliberately concentrating and inhaling may be harmful or fatal. Do not breathe gas/vapour/aerosol. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition Do not spray on a naked flame or any incandescent material. Do not smoke while handling product. Ground/bond container and receiving equipment. Do not re-use empty containers. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Observe normal hygiene standards. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not discharge the waste into the drain. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. Prevent the build-up of electrostatic charge. Wash thoroughly after handling.
7.2. Conditions for safe storage, inclu	uding any incompatibilities
Technical measures	 Pressurized container. Do not puncture, incinerate or crush. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Storage conditions	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep cool. Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50 °C/ 122 °F. Refrigerate.
Storage temperature	: < 49 °C
Storage area	: Aerosol 3.

SECTION 8: Exposure controls/personal protection

8.1. Control par	ameters			
Acetone (67-64-1)	Acetone (67-64-1)			
ACGIH	ACGIH OEL TWA [ppm]	250 ppm		
ACGIH	ACGIH OEL STEL [ppm]	500 ppm		
ACGIH	Remark (ACGIH)	eye irr; CNS impair; BEI		
OSHA	OSHA PEL TWA [1]	2400 mg/m ³		
OSHA	OSHA PEL TWA [2]	1000 ppm		
Propane (74-98-6)				

1 Topane (7 +-50-0)		
ACGIH	ACGIH OEL TWA [ppm]	1000 ppm
ACGIH	Remark (ACGIH)	Simple Asphyxiant
OSHA	OSHA PEL TWA [1]	1800 mg/m ³
OSHA	OSHA PEL TWA [2]	1000 ppm

Butane (106-97-8)

ACGIH
AUGUIT

1000 ppm

Proprietary Fragrance Mixture (Proprietary)

Not applicable

ACGIH OEL TWA [ppm]

Safety Data Sheet

8.2.	Exposure controls	
Аррі	ropriate engineering controls	: Ensure good ventilation of the work station. If exposure limits have not been established, maintain airborne levels to an acceptable level Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Pers	onal protective equipment	: Gloves. Protective goggles. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.



9.1. Information on basic physical and chemical properties

5.1. Information on basic physical and ch	ennical properties
Physical state	: Gas
Appearance	: Aerosol,Liquid,clear
Odour	: Fruity
Odour threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: < -247 °F Acetone estimate
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: 18280.4 kPa at 68°F estimated
Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Density	: 0.72 g/ml Estimated
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Risk of ignition.

10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

10.4. Conditions to avoid

Aerosol containers are unstable at temperatures above 49°C. Avoid temperatures exceeding the flash point. Incompatible materials. Heat. Open flame. Sparks.

10.5. Incompatible materials

Strong oxidizing agents. Nitrates. Fluorine. Chlorine.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet



SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified Causes serious eye irritation. Not classified Not classified Not classified Not classified
Reproductive toxicity STOT-single exposure	: Not classified : May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion Likely routes of exposure	 Not classified May cause drowsiness or dizziness. Contact during a long period may cause light irritation. Causes serious eye irritation. Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Skin and eyes contact;Inhalation

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

Persistence and degradability 12.2.

No additional information available

12.3. **Bioaccumulative potential**

No additional information available

SECTION 13: Disposal considerati	ons
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations	 Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container to comply with local/regional/national regulations.
SECTION 14: Transport informatio	n
Department of Transportation (DOT)	
Transport document description (DOT)	: UN1950 Aerosols flammable, (each not exceeding 1 L capacity), 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
Class (DOT)	flammable, (each not exceeding 1 L capacity) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Special Provisions (49 CFR 172.102)	
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stoward Leastion	

: А : 25 - Protected from sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

DOT Vessel Stowage Location

DOT Vessel Stowage Other

Safety Data Sheet



Additional information Other information : When transported by ground, this product may be eligible to be shipped as a Limited Quantity utilizing the exception found at 49 CFR 173.306. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required. ADR No additional information available Transport by sea UN-No. (IMDG) UN1950 : Proper Shipping Name (IMDG) : AEROSOLS Class (IMDG) 2.1 - Flammable gases · Air transport UN-No. (IATA) : UN1950 Proper Shipping Name (IATA) Aerosols, flammable Class (IATA) 2.1 - Gases : Flammable

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amndments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372

California Proposition 65 - This product does not contain a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

SECTION 16: Other information					
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.				
NFPA health hazard NFPA fire hazard	 1 - Materials that, under emergency conditions, can cause significant irritation. 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions. 				
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.				

Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.